

1z0-062.exam.207q

Number: 1z0-062
Passing Score: 800
Time Limit: 120 min
File Version: 1

Oracle 1z0-062

Oracle Database 12c: Installation and Administration

Exam A

QUESTION 1

Which two statements are true? (Choose two.)

- A. A role cannot be assigned external authentication.
- B. A role can be granted to other roles.
- C. A role can contain both system and object privileges.
- D. The predefined resource role includes the unlimited_tablespace privilege.
- E. All roles are owned by the sys user.
- F. The predefined connect role is always automatically granted to all new users at the time of their creation.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

References:

QUESTION 2

Identify three valid options for adding a pluggable database (PDB) to an existing multitenant container database (CDB).

- A. Use the CREATE PLUGGABLE DATABASE statement to create a PDB using the files from the SEED.
- B. Use the CREATE DATABASE . . . ENABLE PLUGGABLE DATABASE statement to provision a PDB by copying file from the SEED.
- C. Use the DBMS_PDB package to clone an existing PDB.
- D. Use the DBMS_PDB package to plug an Oracle 12c non-CDB database into an existing CDB.
- E. Use the DBMS_PDB package to plug an Oracle 11 g Release 2 (11.2.0.3.0) non-CDB database into an existing CDB.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Use the CREATE PLUGGABLE DATABASE statement to create a pluggable database (PDB).

This statement enables you to perform the following tasks:

* (A) Create a PDB by using the seed as a template

Use the create_pdb_from_seed clause to create a PDB by using the seed in the multitenant container database (CDB) as a template. The files associated with the seed are copied to a new location and the copied files are then associated with the new PDB.

* (C) Create a PDB by cloning an existing PDB

Use the create_pdb_clone clause to create a PDB by copying an existing PDB (the source PDB) and then plugging the copy into the CDB. The files associated with the source PDB are copied to a new location and the copied files are associated with the new PDB. This operation is called cloning a PDB.

The source PDB can be plugged in or unplugged. If plugged in, then the source PDB can be in the same CDB or in a remote CDB. If the source PDB is in a remote CDB, then a database link is used to connect to the remote CDB and copy the files.

* Create a PDB by plugging an unplugged PDB or a non-CDB into a CDB

Use the `create_pdb_from_xml` clause to plug an unplugged PDB or a non-CDB into a CDB, using an XML metadata file.

QUESTION 3

Your database supports a DSS workload that involves the execution of complex queries: Currently, the library cache contains the ideal workload for analysis. You want to analyze some of the queries for an application that are cached in the library cache.

What must you do to receive recommendations about the efficient use of indexes and materialized views to improve query performance?

- A. Create a SQL Tuning Set (STS) that contains the queries cached in the library cache and run the SQL Tuning Advisor (STA) on the workload captured in the STS.
- B. Run the Automatic Workload Repository Monitor (AWR).
- C. Create an STS that contains the queries cached in the library cache and run the SQL Performance Analyzer (SPA) on the workload captured in the STS.
- D. Create an STS that contains the queries cached in the library cache and run the SQL Access Advisor on the workload captured in the STS.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* SQL Access Advisor is primarily responsible for making schema modification recommendations, such as adding or dropping indexes and materialized views. SQL Tuning Advisor makes other types of recommendations, such as creating SQL profiles and restructuring SQL statements.

* The query optimizer can also help you tune SQL statements. By using SQL Tuning Advisor and SQL Access Advisor, you can invoke the query optimizer in advisory mode to examine a SQL statement or set of statements and determine how to improve their efficiency. SQL Tuning Advisor and SQL Access Advisor can make various recommendations, such as creating SQL profiles, restructuring SQL statements, creating additional indexes or materialized views, and refreshing optimizer statistics.

Note:

* Decision support system (DSS) workload

* The library cache is a shared pool memory structure that stores executable SQL and PL/SQL code. This cache contains the shared SQL and PL/SQL areas and control structures such as locks and library cache handles.

References:

QUESTION 4

The following parameter are set for your Oracle 12c database instance:

```
OPTIMIZER_CAPTURE_SQL_PLAN_BASELINES=FALSE  
OPTIMIZER_USE_SQL_PLAN_BASELINES=TRUE
```

You want to manage the SQL plan evolution task manually. Examine the following steps:

1. Set the evolve task parameters.
2. Create the evolve task by using the `DBMS_SPM.CREATE_EVOLVE_TASK` function.
3. Implement the recommendations in the task by using the `DBMS_SPM.IMPLEMENT_EVOLVE_TASK` function.
4. Execute the evolve task by using the `DBMS_SPM.EXECUTE_EVOLVE_TASK` function.
5. Report the task outcome by using the `DBMS_SPM.REPORT_EVOLVE_TASK` function.

Identify the correct sequence of steps:

- A. 2, 4, 5
- B. 2, 1, 4, 3, 5
- C. 1, 2, 3, 4, 5
- D. 1, 2, 4, 5

Correct Answer: B


Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Evolving SQL Plan Baselines



*

2. Create the evolve task by using the DBMS_SPM.CREATE_EVOLVE_TASK function.

This function creates an advisor task to prepare the plan evolution of one or more plans for a specified SQL statement. The input parameters can be a SQL handle, plan name or a list of plan names, time limit, task name, and description.

1. Set the evolve task parameters.

SET_EVOLVE_TASK_PARAMETER

This function updates the value of an evolve task parameter. In this release, the only valid parameter is TIME_LIMIT.

4. Execute the evolve task by using the DBMS_SPM.EXECUTE_EVOLVE_TASK function.

This function executes an evolution task. The input parameters can be the task name, execution name, and execution description. If not specified, the advisor generates the name, which is returned by the function.

3: IMPLEMENT_EVOLVE_TASK

This function implements all recommendations for an evolve task. Essentially, this function is equivalent to using ACCEPT_SQL_PLAN_BASELINE for all recommended plans. Input parameters include task name, plan name, owner name, and execution name.

5. Report the task outcome by using the DBMS_SPM.REPORT_EVOLVE_TASK function.

This function displays the results of an evolve task as a CLOB. Input parameters include the task name and

section of the report to include.

References:

QUESTION 5

In a recent Automatic Workload Repository (AWR) report for your database, you notice a high number of buffer busy waits. The database consists of locally managed tablespaces with free list managed segments.

On further investigation, you find that buffer busy waits is caused by contention on data blocks.

Which option would you consider first to decrease the wait event immediately?

- A. Decreasing PCTUSED
- B. Decreasing PCTFREE
- C. Increasing the number of DBWN process
- D. Using Automatic Segment Space Management (ASSM)
- E. Increasing db_buffer_cache based on the V\$DB_CACHE_ADVICE recommendation

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Automatic segment space management (ASSM) is a simpler and more efficient way of managing space within a segment. It completely eliminates any need to specify and tune the pctused, freelists, and freelist groups storage parameters for schema objects created in the tablespace. If any of these attributes are specified, they are ignored.

* Oracle introduced Automatic Segment Storage Management (ASSM) as a replacement for traditional freelists management which used one-way linked-lists to manage free blocks with tables and indexes. ASSM is commonly called "bitmap freelists" because that is how Oracle implement the internal data structures for free block management.

Note:

* Buffer busy waits are most commonly associated with segment header contention onside the data buffer pool (db_cache_size, etc.).

* The most common remedies for high buffer busy waits include database writer (DBWR) contention tuning, adding freelists (or ASSM), and adding missing indexes.

QUESTION 6

Examine this command:

```
SQL > exec DBMS_STATS.SET_TABLE_PREFS ('SH', 'CUSTOMERS', 'PUBLISH', 'false');
```

Which three statements are true about the effect of this command? (Choose three.)

- A. Statistics collection is not done for the CUSTOMERS table when schema stats are gathered.
- B. Statistics collection is not done for the CUSTOMERS table when database stats are gathered.
- C. Any existing statistics for the CUSTOMERS table are still available to the optimizer at parse time.
- D. Statistics gathered on the CUSTOMERS table when schema stats are gathered are stored as pending statistics.
- E. Statistics gathered on the CUSTOMERS table when database stats are gathered are stored as pending statistics.

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* SET_TABLE_PREFS Procedure

This procedure is used to set the statistics preferences of the specified table in the specified schema.

* Example:

Using Pending Statistics

Assume many modifications have been made to the employees table since the last time statistics were gathered. To ensure that the cost-based optimizer is still picking the best plan, statistics should be gathered once again; however, the user is concerned that new statistics will cause the optimizer to choose bad plans when the current ones are acceptable. The user can do the following:

```
EXEC DBMS_STATS.SET_TABLE_PREFS('hr', 'employees', 'PUBLISH', 'false');
```

By setting the employees tables publish preference to FALSE, any statistics gather from now on will not be automatically published. The newly gathered statistics will be marked as pending.

QUESTION 7

Examine the following impdp command to import a database over the network from a pre-12c Oracle database (source):

```
$> impdp <user_name> full=Y network_link=hrdb_test transportable=always
transport_datafiles=
    '/u01/app/oracle/oradata/hrdb/sales01.dbf',
    '/u01/app/oracle/oradata/hrdb/cust01.dbf',
    '/u01/app/oracle/oradata/hrdb/emp01.dbf',
version=12 logfile=import.log
```

Which three are prerequisites for successful execution of the command? (Choose three.)

- A. The import operation must be performed by a user on the target database by a user with the DATAPUMP_IMP_FULL_DATABASE role, and the database link must connect to a user with the DATAPUMP_EXP_FULL_DATABASE role on the source database.
- B. All the user-defined tablespaces must be in read-only mode on the source database.
- C. The export dump file must be created before starting the import on the target database.
- D. The source and target database must be running on the same operating system (OS) with the same endianness.
- E. The impdp operation must be performed by the same user that performed the expdp operation.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

In this case we have run the impdp without performing any conversion if endian format is different then we have to first perform conversion.

QUESTION 8

Which two are true concerning a multitenant container database with three pluggable database? (Choose two.)

- A. All administration tasks must be done to a specific pluggable database.
- B. The pluggable databases increase patching time.

- C. The pluggable databases reduce administration effort.
- D. The pluggable databases are patched together.
- E. Pluggable databases are only used for database consolidation.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 9

Examine the current value for the following parameters in your database instance:

```
SGA_MAX_SIZE = 1024M
SGA_TARGET = 700M
DB_8K_CACHE_SIZE = 124M
LOG_BUFFER = 200M
```

You issue the following command to increase the value of DB_8K_CACHE_SIZE:

```
SQL> ALTER SYSTEM SET DB_8K_CACHE_SIZE=140M;
```

Which statement is true?

- A. It fails because the DB_8K_CACHE_SIZE parameter cannot be changed dynamically.
- B. It succeeds only if memory is available from the autotuned components if SGA.
- C. It fails because an increase in DB_8K_CACHE_SIZE cannot be accommodated within SGA_TARGET.
- D. It fails because an increase in DB_8K_CACHE_SIZE cannot be accommodated within SGA_MAX_SIZE.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* The SGA_TARGET parameter can be dynamically increased up to the value specified for the SGA_MAX_SIZE parameter, and it can also be reduced.

* Example:

For example, suppose you have an environment with the following configuration:

```
SGA_MAX_SIZE = 1024M
SGA_TARGET = 512M
DB_8K_CACHE_SIZE = 128M
```

In this example, the value of SGA_TARGET can be resized up to 1024M and can also be reduced until one or more of the automatically sized components reaches its minimum size. The exact value depends on environmental factors such as the number of CPUs on the system. However, the value of DB_8K_CACHE_SIZE remains fixed at all times at 128M

* DB_8K_CACHE_SIZE

Size of cache for 8K buffers

* For example, consider this configuration:

```
SGA_TARGET = 512M
DB_8K_CACHE_SIZE = 128M
```

In this example, increasing DB_8K_CACHE_SIZE by 16 M to 144M means that the 16M is taken away from the

automatically sized components. Likewise, reducing DB_8K_CACHE_SIZE by 16M to 112M means that the 16M is given to the automatically sized components.

QUESTION 10

Which three statements are true concerning unplugging a pluggable database (PDB)? (Choose three.)

- A. The PDB must be open in read only mode.
- B. The PDB must be closed.
- C. The unplugged PDB becomes a non-CDB.
- D. The unplugged PDB can be plugged into the same multitenant container database (CDB)
- E. The unplugged PDB can be plugged into another CDB.
- F. The PDB data files are automatically removed from disk.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B, not A: The PDB must be closed before unplugging it.

D: An unplugged PDB contains data dictionary tables, and some of the columns in these encode information in an endianness-sensitive way. There is no supported way to handle the conversion of such columns automatically. This means, quite simply, that an unplugged PDB cannot be moved across an endianness difference.

E (not F): To exploit the new unplug/plugin paradigm for patching the Oracle version most effectively, the source and destination CDBs should share a filesystem so that the PDB's datafiles can remain in place.

References:

QUESTION 11

Examine the following command:

```
CREATE TABLE (prod_id number(4),  
Prod_name varchar2 (20),  
Category_id number(30),  
Quantity_on_hand number (3) INVISIBLE);
```

Which three statements are true about using an invisible column in the PRODUCTS table? (Choose three.)

- A. The %ROWTYPE attribute declarations in PL/SQL to access a row will not display the invisible column in the output.
- B. The DESCRIBE commands in SQL *Plus will not display the invisible column in the output.
- C. Referential integrity constraint cannot be set on the invisible column.
- D. The invisible column cannot be made visible and can only be marked as unused.
- E. A primary key constraint can be added on the invisible column.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

AB: You can make individual table columns invisible. Any generic access of a table does not show the invisible columns in the table. For example, the following operations do not display invisible columns in the output:

- * SELECT * FROM statements in SQL
- * DESCRIBE commands in SQL*Plus
- * %ROWTYPE attribute declarations in PL/SQL
- * Describes in Oracle Call Interface (OCI)

Incorrect:

Not D: You can make invisible columns visible.

You can make a column invisible during table creation or when you add a column to a table, and you can later alter the table to make the same column visible.

References:

QUESTION 12

You wish to enable an audit policy for all database users, except SYS, SYSTEM, and SCOTT.

You issue the following statements:

```
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SYS;
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SYSTEM;
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER EXCEPT SCOTT;
```

For which database users is the audit policy now active?

- A. All users except SYS
- B. All users except SCOTT
- C. All users except sys and SCOTT
- D. All users except sys, system, and SCOTT

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

If you run multiple AUDIT statements on the same unified audit policy but specify different EXCEPT users, then Oracle Database uses the last exception user list, not any of the users from the preceding lists. This means the effect of the earlier AUDIT POLICY ... EXCEPT statements are overridden by the latest AUDIT POLICY ... EXCEPT statement.

Note:

* The ORA_DATABASE_PARAMETER policy audits commonly used Oracle Database parameter settings. By default, this policy is not enabled.

* You can use the keyword ALL to audit all actions. The following example shows how to audit all actions on the HR.EMPLOYEES table, except actions by user pmulligan.

Example Auditing All Actions on a Table

```
CREATE AUDIT POLICY all_actions_on_hr_emp_pol
ACTIONS ALL ON HR.EMPLOYEES;
```

```
AUDIT POLICY all_actions_on_hr_emp_pol EXCEPT pmulligan;
```

References:

QUESTION 13

On your Oracle 12c database, you invoked SQL *Loader to load data into the EMPLOYEES table in the HR schema by issuing the following command:

```
$> sqlldr hr/hr@pdb table=employees
```

Which two statements are true regarding the command? (Choose two.)

- A. It succeeds with default settings if the EMPLOYEES table belonging to HR is already defined in the database.
- B. It fails because no SQL *Loader data file location is specified.
- C. It fails if the HR user does not have the CREATE ANY DIRECTORY privilege.
- D. It fails because no SQL *Loader control file location is specified.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Note:

* SQL*Loader is invoked when you specify the sqlldr command and, optionally, parameters that establish session characteristics.

QUESTION 14

After implementing full Oracle Data Redaction, you change the default value for the NUMBER data type as follows:

```
SQL> SELECT NUMBER_VALUE FROM REDACTION_VALUES_FOR_TYPE_FULL;

NUMBER_VALUE
-----
          0

SQL> EXEC DBMS_REDACT.UPDATE_FULL_REDACTION_VALUES(-1)

PL/SQL procedure successfully completed.

SQL> select number_value from redaction_values_for_type_full;

NUMBER_VALUE
-----
          -1
```

After changing the value, you notice that FULL redaction continues to redact numeric data with zero.

What must you do to activate the new default value for numeric full redaction?

- A. Re-enable redaction policies that use FULL data redaction.
- B. Re-create redaction policies that use FULL data redaction.
- C. Re-connect the sessions that access objects with redaction policies defined on them.
- D. Flush the shared pool.
- E. Restart the database instance.

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation:

About Altering the Default Full Data Redaction Value

You can alter the default displayed values for full Data Redaction policies. By default, 0 is the redacted value when Oracle Database performs full redaction (DBMS_REDACT.FULL) on a column of the NUMBER data type. If you want to change it to another value (for example, 7), then you can run the DBMS_REDACT.UPDATE_FULL_REDACTION_VALUES procedure to modify this value. The modification applies to all of the Data Redaction policies in the current database instance. After you modify a value, you must restart the database for it to take effect.

Note:

* The DBMS_REDACT package provides an interface to Oracle Data Redaction, which enables you to mask (redact) data that is returned from queries issued by low-privileged users or an application.

* UPDATE_FULL_REDACTION_VALUES Procedure

This procedure modifies the default displayed values for a Data Redaction policy for full redaction.

* After you create the Data Redaction policy, it is automatically enabled and ready to redact data.

* Oracle Data Redaction enables you to mask (redact) data that is returned from queries issued by low-privileged users or applications. You can redact column data by using one of the following methods:

/ Full redaction.
/ Partial redaction.
/ Regular expressions.
/ Random redaction.
/ No redaction.

References:

QUESTION 15

You must track all transactions that modify certain tables in the sales schema for at least three years.

Automatic undo management is enabled for the database with a retention of one day.

Which two must you do to track the transactions? (Choose two.)

- A. Enable supplemental logging for the database.
- B. Specify undo retention guarantee for the database.
- C. Create a Flashback Data Archive in the tablespace where the tables are stored.
- D. Create a Flashback Data Archive in any suitable tablespace.
- E. Enable Flashback Data Archiving for the tables that require tracking.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

E: By default, flashback archiving is disabled for any table. You can enable flashback archiving for a table if you have the FLASHBACK ARCHIVE object privilege on the Flashback Data Archive that you want to use for that table.

D: Creating a Flashback Data Archive

/ Create a Flashback Data Archive with the CREATE FLASHBACK ARCHIVE statement, specifying the following:

Name of the Flashback Data Archive

Name of the first tablespace of the Flashback Data Archive

(Optional) Maximum amount of space that the Flashback Data Archive can use in the first tablespace

/ Create a Flashback Data Archive named fla2 that uses tablespace tbs2, whose data will be retained for two years:

```
CREATE FLASHBACK ARCHIVE fla2 TABLESPACE tbs2 RETENTION 2 YEAR;
```

QUESTION 16

You are the DBA supporting an Oracle 11g Release 2 database and wish to move a table containing several DATE, CHAR, VARCHAR2, and NUMBER data types, and the table's indexes, to another tablespace.

The table does not have a primary key and is used by an OLTP application.

Which technique will move the table and indexes while maintaining the highest level of availability to the application?

- A. Oracle Data Pump.
- B. An ALTER TABLE MOVE to move the table and ALTER INDEX REBUILD to move the indexes.
- C. An ALTER TABLE MOVE to move the table and ALTER INDEX REBUILD ONLINE to move the indexes.
- D. Online Table Redefinition.
- E. Edition-Based Table Redefinition.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Oracle Database provides a mechanism to make table structure modifications without significantly affecting the availability of the table. The mechanism is called online table redefinition. Redefining tables online provides a substantial increase in availability compared to traditional methods of redefining tables.

* To redefine a table online:

Choose the redefinition method: by key or by rowid

* By key—Select a primary key or pseudo-primary key to use for the redefinition. Pseudo-primary keys are unique keys with all component columns having NOT NULL constraints. For this method, the versions of the tables before and after redefinition should have the same primary key columns. This is the preferred and default method of redefinition.

* By rowid—Use this method if no key is available. In this method, a hidden column named M_ROW\$\$ is added to the post-redefined version of the table. It is recommended that this column be dropped or marked as unused after the redefinition is complete. If COMPATIBLE is set to 10.2.0 or higher, the final phase of redefinition automatically sets this column unused. You can then use the ALTER TABLE ... DROP UNUSED COLUMNS statement to drop it.

You cannot use this method on index-organized tables.

Note:

* When you rebuild an index, you use an existing index as the data source. Creating an index in this manner enables you to change storage characteristics or move to a new tablespace. Rebuilding an index based on an existing data source removes intra-block fragmentation. Compared to dropping the index and using the CREATE INDEX statement, re-creating an existing index offers better performance.

Incorrect:

Not E: Edition-based redefinition enables you to upgrade the database component of an application while it is in use, thereby minimizing or eliminating down time.

QUESTION 17

To implement Automatic Management (AMM), you set the following parameters:

```
MEMORY_MAX_TARGET=600M
SGA_MAX_SIZE=500M
MEMORY_TARGET=600M
OPEN_CURSORS=300
SGA_TARGET=300M
PROCESSES=150
STATISTICS_LEVEL=BASIC
PGA_AGGREGATE_TARGET=0
```

When you try to start the database instance with these parameter settings, you receive the following error message:

```
SQL > startup
ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings, see alert log
for more information.
```

Identify the reason the instance failed to start.

- A. The PGA_AGGREGATE_TARGET parameter is set to zero.
- B. The STATISTICS_LEVEL parameter is set to BASIC.
- C. Both the SGA_TARGET and MEMORY_TARGET parameters are set.
- D. The SGA_MAX_SIZE and SGA_TARGET parameter values are not equal.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Example:

```
SQL> startup force
```

```
ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings
```

```
ORA-00848: STATISTICS_LEVEL cannot be set to BASIC with SGA_TARGET or MEMORY_TARGET
```

QUESTION 18

What are two benefits of installing Grid Infrastructure software for a stand-alone server before installing and creating an Oracle database?

- A. Effectively implements role separation
- B. Enables you to take advantage of Oracle Managed Files.
- C. Automatically registers the database with Oracle Restart.
- D. Helps you to easily upgrade the database from a prior release.
- E. Enables the Installation of Grid Infrastructure files on block or raw devices.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

C: To use Oracle ASM or Oracle Restart, you must first install Oracle Grid Infrastructure for a standalone server before you install and create the database. Otherwise, you must manually register the database with Oracle Restart.

Desupport of Block and Raw Devices

With the release of Oracle Database 11g release 2 (11.2) and Oracle RAC 11g release 2 (11.2), using Database Configuration Assistant or the installer to store Oracle Clusterware or Oracle Database files directly on block or raw devices is not supported.

If you intend to upgrade an existing Oracle RAC database, or an Oracle RAC database with Oracle ASM instances, then you can use an existing raw or block device partition, and perform a rolling upgrade of your existing installation. Performing a new installation using block or raw devices is not allowed.

References:

QUESTION 19

Identify two correct statements about multitenant architectures.

- A. Multitenant architecture can be deployed only in a Real Application Clusters (RAC) configuration.
- B. Multiple pluggable databases (PDBs) share certain multitenant container database (CDB) resources.
- C. Multiple CDBs share certain PDB resources.
- D. Multiple non-RAC CDB instances can mount the same PDB as long as they are on the same server.
- E. Patches are always applied at the CDB level.
- F. A PDB can have a private undo tablespace.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B: Using 12c Resource manager you will be able control CPU, Exadata I/O, sessions and parallel servers. A new 12c CDB Resource Manager Plan will use so-called "Shares" (resource allocations) to specify how CPU is distributed between PDBs. A CDB Resource Manager Plan also can use "utilization limits" to limit the CPU usage for a PDB. With a default directive, you do not need to modify the resource plan for each PDB plug and unplug.

E: New paradigms for rapid patching and upgrades.

The investment of time and effort to patch one multitenant container database results in patching all of its many pluggable databases. To patch a single pluggable database, you simply unplug/plug to a multitenant container database at a different Oracle Database software version.

Incorrect:

Not A:

* The Oracle RAC documentation describes special considerations for a CDB in an Oracle RAC environment.

* Oracle Multitenant is a new option for Oracle Database 12c Enterprise Edition that helps customers reduce IT costs by simplifying consolidation, provisioning, upgrades, and more.

It is supported by a new architecture that allows a container database to hold many pluggable databases. And it fully complements other options, including Oracle Real Application Clusters and Oracle Active Data Guard. An existing database can be simply adopted, with no change, as a pluggable database; and no changes are needed in the other tiers of the application.

Not D: You can unplug a PDB from one CDB and plug it into a different CDB without altering your schemas or applications. A PDB can be plugged into only one CDB at a time.

not F:

* UNDO tablespace can NOT be local and stays on the CDB level.

* Redo and undo go hand in hand, and so the CDB as a whole has a single undo tablespace per RAC instance.

QUESTION 20

You upgrade your Oracle database in a multiprocessor environment. As a recommended you execute the following script:

SQL > @utlrp.sql

Which two actions does the script perform? (Choose two.)

- A. Parallel compilation of only the stored PL/SQL code
- B. Sequential recompilation of only the stored PL/SQL code
- C. Parallel recompilation of any stored PL/SQL code
- D. Sequential recompilation of any stored PL/SQL code
- E. Parallel recompilation of Java code
- F. Sequential recompilation of Java code

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

utlrp.sql and utlprp.sql

The utlrp.sql and utlprp.sql scripts are provided by Oracle to recompile all invalid objects in the database. They are typically run after major database changes such as upgrades or patches. They are located in the \$ORACLE_HOME/rdbms/admin directory and provide a wrapper on the UTL_RECOMP package. The utlrp.sql script simply calls the utlprp.sql script with a command line parameter of "0". The utlprp.sql accepts a single integer parameter that indicates the level of parallelism as follows.

0 - The level of parallelism is derived based on the CPU_COUNT parameter.

1 - The recompilation is run serially, one object at a time.

N - The recompilation is run in parallel with "N" number of threads.

Both scripts must be run as the SYS user, or another user with SYSDBA, to work correctly.

References:

QUESTION 21

Which two statements are true concerning dropping a pluggable database (PDB)? (Choose two.)

- A. The PDB must be open in read-only mode.
- B. The PDB must be in mount state.
- C. The PDB must be unplugged.
- D. The PDB data files are always removed from disk.
- E. A dropped PDB can never be plugged back into a multitenant container database (CDB).

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

http://docs.oracle.com/database/121/ADMIN/cdb_plug.htm#ADMIN13658

QUESTION 22

You notice a high number of waits for the db file scattered read and db file sequential read events in the recent Automatic Database Diagnostic Monitor (ADDM) report. After further investigation, you find that queries are performing too many full table scans and indexes are not being used even though the filter columns are indexed.

Identify three possible reasons for this.

- A. Missing or stale histogram statistics
- B. Undersized shared pool
- C. High clustering factor for the indexes
- D. High value for the DB_FILE_MULTIBLOCK_READ_COUNT parameter
- E. Oversized buffer cache

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

D: DB_FILE_MULTIBLOCK_READ_COUNT is one of the parameters you can use to minimize I/O during table scans. It specifies the maximum number of blocks read in one I/O operation during a sequential scan. The total number of I/Os needed to perform a full table scan depends on such factors as the size of the table, the multiblock read count, and whether parallel execution is being utilized for the operation.

QUESTION 23

Which three features work together, to allow a SQL statement to have different cursors for the same statement based on different selectivity ranges? (Choose three.)

- A. Bind Variable Peeking
- B. SQL Plan Baselines
- C. Adaptive Cursor Sharing
- D. Bind variable used in a SQL statement
- E. Literals in a SQL statement

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:**QUESTION 24**

You notice a performance change in your production Oracle 12c database. You want to know which change caused this performance difference.

Which method or feature should you use?

- A. Compare Period ADDM report
- B. AWR Compare Period report
- C. Active Session History (ASH) report
- D. Taking a new snapshot and comparing it with a preserved snapshot

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 25**

You want to capture column group usage and gather extended statistics for better cardinality estimates for the CUSTOMERS table in the SH schema.

Examine the following steps:

1. Issue the SELECT DBMS_STATS.CREATE_EXTENDED_STATS ('SH', 'CUSTOMERS') FROM dual statement.
2. Execute the DBMS_STATS.SEED_COL_USAGE (null, 'SH', 500) procedure.
3. Execute the required queries on the CUSTOMERS table.
4. Issue the SELECT DBMS_STATS.REPORT_COL_USAGE ('SH', 'CUSTOMERS') FROM dual statement.

Identify the correct sequence of steps.

- A. 3, 2, 1, 4
- B. 2, 3, 4, 1
- C. 4, 1, 3, 2
- D. 3, 2, 4, 1

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Step 1 (2). Seed column usage

Oracle must observe a representative workload, in order to determine the appropriate column groups. Using the new procedure DBMS_STATS.SEED_COL_USAGE, you tell Oracle how long it should observe the workload.

Step 2: (3) You don't need to execute all of the queries in your work during this window. You can simply run explain plan for some of your longer running queries to ensure column group information is recorded for these queries.

Step 3. (1) Create the column groups

At this point you can get Oracle to automatically create the column groups for each of the tables based on the usage information captured during the monitoring window. You simply have to call the DBMS_STATS.CREATE_EXTENDED_STATS function for each table. This function requires just two arguments, the schema name and the table name. From then on, statistics will be maintained for each column group whenever statistics are gathered on the table.

Note:

* DBMS_STATS.REPORT_COL_USAGE reports column usage information and records all the SQL operations the database has processed for a given object.

* The Oracle SQL optimizer has always been ignorant of the implied relationships between data columns within the same table. While the optimizer has traditionally analyzed the distribution of values within a column, he does not collect value-based relationships between columns.

* Creating extended statistics Here are the steps to create extended statistics for related table columns with dbms_stats.create_extended_stats:

1 - The first step is to create column histograms for the related columns. 2 – Next, we run dbms_stats.create_extended_stats to relate the columns together.

Unlike a traditional procedure that is invoked via an execute ("exec") statement, Oracle extended statistics are created via a select statement.

QUESTION 26

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. All AWR tables belong to the SYSTEM schema.
- B. The AWR data is stored in memory and in the database.
- C. The snapshots collected by AWR are used by the self-tuning components in the database
- D. AWR computes time model statistics based on time usage for activities, which are displayed in the v\$SYS time model and V\$SESS_TIME_MODEL views.
- E. AWR contains system wide tracing and logging information.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

You upgraded your database from pre-12c to a multitenant container database (CDB) containing pluggable databases (PDBs).

Examine the query and its output:

```
SQL> SELECT * FROM v$PFILE_users;
```

USERNAME	SYSDB	SYSOP	SYSAS	SYSBA	SYSDG	SYSKM	CON_ID
SYS	TRUE	TRUE	FALSE	FALSE	FALSE	FALSE	0

Which two tasks must you perform to add users with SYSBACKUP, SYSDG, and SYSKM privilege to the password file? (Choose two.)

- A. Assign the appropriate operating system groups to SYSBACKUP, SYSDG, SYSKM.
- B. Grant SYSBACKUP, SYSDG, and SYSKM privileges to the intended users.
- C. Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege and the FORCE argument set to No.
- D. Re-create the password file with SYSBACKUP, SYSDG, and SYSKM privilege, and FORCE arguments set to Yes.
- E. Re-create the password file in the Oracle Database 12c format.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* orapwd

/ You can create a database password file using the password file creation utility, ORAPWD.

The syntax of the ORAPWD command is as follows:

```
orapwd FILE=filename [ENTRIES=numusers] [FORCE={y|n}] [ASM={y|n}]
[DBUNIQUENAME=dbname] [FORMAT={12|legacy}] [SYSBACKUP={y|n}] [SYSDG={y|n}]
[SYSKM={y|n}] [DELETE={y|n}] [INPUT_FILE=input-fname]
```

force - whether to overwrite existing file (optional),

* v\$PWFIL_Users

/ 12c: V\$PWFIL_USERS lists all users in the password file, and indicates whether the user has been granted the SYSDBA, SYSOPER, SYSASM, SYSBACKUP, SYSDG, and SYSKM privileges.

/ 10c: sts users who have been granted SYSDBA and SYSOPER privileges as derived from the password file.

ColumnDatatypeDescription

USERNAMEVARCHAR2(30)The name of the user that is contained in the password file

SYSDBAVARCHAR2(5)If TRUE, the user can connect with SYSDBA privileges

SYSOPERVARCHAR2(5)If TRUE, the user can connect with SYSOPER privileges

Incorrect:

not E: The format of the v\$PWFIL_Users file is already in 12c format.

QUESTION 28

An application accesses a small lookup table frequently. You notice that the required data blocks are getting aged out of the default buffer cache.

How would you guarantee that the blocks for the table never age out?

- A. Configure the KEEP buffer pool and alter the table with the corresponding storage clause.
- B. Increase the database buffer cache size.
- C. Configure the RECYCLE buffer pool and alter the table with the corresponding storage clause.
- D. Configure Automatic Shared Memory Management.
- E. Configure Automatic Memory Management.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Schema objects are referenced with varying usage patterns; therefore, their cache behavior may be quite different. Multiple buffer pools enable you to address these differences. You can use a KEEP buffer pool to maintain objects in the buffer cache and a RECYCLE buffer pool to prevent objects from consuming unnecessary space in the cache. When an object is allocated to a cache, all blocks from that object are placed in that cache. Oracle maintains a DEFAULT buffer pool for objects that have not been assigned to one of the buffer pools.

QUESTION 29

You conned using SQL Plus to the root container of a multitenant container database (CDB) with SYSDBA privilege.

The CDB has several pluggable databases (PDBs) open in the read/write mode.

There are ongoing transactions in both the CDB and PDBs.

What happens after issuing the SHUTDOWN TRANSACTIONAL statement?

- A. The shutdown proceeds immediately. The shutdown proceeds as soon as all transactions in the PDBs are either committed or rolled back.
- B. The shutdown proceeds as soon as all transactions in the CDB are either committed or rolled back.
- C. The shutdown proceeds as soon as all transactions in both the CDB and PDBs are either committed or rolled back.

D. The statement results in an error because there are open PDBs.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* SHUTDOWN [ABORT | IMMEDIATE | NORMAL | TRANSACTIONAL [LOCAL]]

Shuts down a currently running Oracle Database instance, optionally closing and dismounting a database. If the current database is a pluggable database, only the pluggable database is closed. The consolidated instance continues to run.

Shutdown commands that wait for current calls to complete or users to disconnect such as SHUTDOWN NORMAL and SHUTDOWN TRANSACTIONAL have a time limit that the SHUTDOWN command will wait. If all events blocking the shutdown have not occurred within the time limit, the shutdown command cancels with the following message:

ORA-01013: user requested cancel of current operation

* If logged into a CDB, shutdown closes the CDB instance.

To shutdown a CDB or non CDB, you must be connected to the CDB or non CDB instance that you want to close, and then enter

SHUTDOWN
Database closed.
Database dismounted.
Oracle instance shut down.

To shutdown a PDB, you must log into the PDB to issue the SHUTDOWN command.

SHUTDOWN
Pluggable Database closed.

Note:

* Prerequisites for PDB Shutdown

When the current container is a pluggable database (PDB), the SHUTDOWN command can only be used if:

The current user has SYSDBA, SYSOPER, SYSBACKUP, or SYSDBG system privilege.

The privilege is either commonly granted or locally granted in the PDB.

The current user exercises the privilege using AS SYSDBA, AS SYSOPER, AS SYSBACKUP, or AS SYSDBG at connect time.

To close a PDB, the PDB must be open.

QUESTION 30

You are planning the creation of a new multitenant container database (CDB) and want to store the ROOT and SEED container data files in separate directories.

You plan to create the database using SQL statements.

Which three techniques can you use to achieve this? (Choose three.)

A. Use Oracle Managed Files (OMF).

- B. Specify the SEED FILE_NAME_CONVERT clause.
- C. Specify the PDB_FILE_NAME_CONVERT initialization parameter.
- D. Specify the DB_FILE_NAME_CONVERT initialization parameter.
- E. Specify all files in the CREATE DATABASE statement without using Oracle managed Files (OMF).

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You must specify the names and locations of the seed's files in one of the following ways:

- * (A) Oracle Managed Files
- * (B) The SEED FILE_NAME_CONVERT Clause
- * (C) The PDB_FILE_NAME_CONVERT Initialization Parameter

QUESTION 31

You are about to plug a multi-terabyte non-CDB into an existing multitenant container database (CDB).

The characteristics of the non-CDB are as follows:

- Version: Oracle Database 11g Release 2 (11.2.0.2.0) 64-bit
- Character set: AL32UTF8
- National character set: AL16UTF16
- O/S: Oracle Linux 6 64-bit

The characteristics of the CDB are as follows:

- Version: Oracle Database 12c Release 1 64-bit
- Character Set: AL32UTF8
- National character set: AL16UTF16
- O/S: Oracle Linux 6 64-bit

Which technique should you use to minimize down time while plugging this non-CDB into the CDB?

- A. Transportable database
- B. Transportable tablespace
- C. Data Pump full export/import
- D. The DBMS_PDB package
- E. RMAN

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Overview, example:

- Log into ncdb12c as sys
- Get the database in a consistent state by shutting it down cleanly.
- Open the database in read only mode
- Run DBMS_PDB.DESCRIBE to create an XML file describing the database.
- Shut down ncdb12c
- Connect to target CDB (CDB2)
- Check whether non-cdb (NCDB12c) can be plugged into CDB(CDB2)
- Plug-in Non-CDB (NCDB12c) as PDB(NCDB12c) into target CDB(CDB2).
- Access the PDB and run the noncdb_to_pdb.sql script.

- Open the new PDB in read/write mode.

* You can easily plug an Oracle Database 12c non-CDB into a CDB. Just create a PDB manifest file for the non-CDB, and then use the manifest file to create a cloned PDB in the CDB.

* Note that to plug in a non-CDB database into a CDB, the non-CDB database needs to be of version 12c as well. So existing 11g databases will need to be upgraded to 12c before they can be part of a 12c CDB.

QUESTION 32

Your database supports an online transaction processing (OLTP) application. The application is undergoing some major schema changes, such as addition of new indexes and materialized views. You want to check the impact of these changes on workload performance.

What should you use to achieve this?

- A. Database replay
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository compare reports

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

You can use the SQL Performance Analyzer to analyze the SQL performance impact of any type of system change. Examples of common system changes include:

- Database upgrades
- Configuration changes to the operating system, hardware, or database
- Database initialization parameter changes
- Schema changes, such as adding new indexes or materialized views
- Gathering optimizer statistics
- SQL tuning actions, such as creating SQL profiles

http://docs.oracle.com/cd/B28359_01/server.111/b28318/intro.htm#CNCPT961

QUESTION 33

An administrator account is granted the CREATE SESSION and SET CONTAINER system privileges.

A multitenant container database (CDB) instant has the following parameter set:

THREADED_EXECUTION = FALSE

Which four statements are true about this administrator establishing connections to root in a CDB that has been opened in read only mode? (Choose four.)

- A. You can connect as a common user by using the connect statement.
- B. You can connect as a local user by using the connect statement.
- C. You can connect by using easy connect.
- D. You can connect by using OS authentication.
- E. You can connect by using a Net Service name.
- F. You can connect as a local user by using the SET CONTAINER statement.

Correct Answer: ACDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Examine the following query output:

```
SQL> SELECT name, force_logging FROM v$database;

NAME          FORCE_LOGGING
-----
PROD          NO
```

You issue the following command to import tables into the hr schema:

```
$ > impdp hr/hr directory = dumpdir dumpfile = hr_new.dmp schemas=hr
TRANSFORM=DISABLE_ARCHIVE_LOGGING: Y
```

Which statement is true?

- A. All database operations performed by the impdp command are logged.
- B. Only CREATE INDEX and CREATE TABLE statements generated by the import are logged.
- C. Only CREATE TABLE and ALTER TABLE statements generated by the import are logged.
- D. None of the operations against the master table used by Oracle Data Pump to coordinate its activities are logged.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Oracle Data Pump disable redo logging when loading data into tables and when creating indexes.

The new TRANSFORM option introduced in data pumps import provides the flexibility to turn off the redo generation for the objects during the course of import. The Master Table is used to track the detailed progress information of a Data Pump job.

The Master Table is created in the schema of the current user running the Pump Dump export or import, and it keeps tracks of lots of detailed information.

QUESTION 35

You notice a performance change in your production Oracle database and you want to know which change has made this performance difference.

You generate the Compare Period Automatic Database Diagnostic Monitor (ADDM) report to further investigation.

Which three findings would you get from the report? (Choose three.)

- A. It detects any configuration change that caused a performance difference in both time periods.
- B. It identifies any workload change that caused a performance difference in both time periods.
- C. It detects the top wait events causing performance degradation.
- D. It shows the resource usage for CPU, memory, and I/O in both time periods.
- E. It shows the difference in the size of memory pools in both time periods.
- F. It gives information about statistics collection in both time periods.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Keyword: shows the difference.

* Full ADDM analysis across two AWR snapshot periods

Detects causes, measure effects, then correlates them

Causes: workload changes, configuration changes

Effects: regressed SQL, reach resource limits (CPU, I/O, memory, interconnect)

Makes actionable recommendations along with quantified impact

* Identify what changed

/ Configuration changes, workload changes

* Performance degradation of the database occurs when your database was performing optimally in the past, such as 6 months ago, but has gradually degraded to a point where it becomes noticeable to the users. The Automatic Workload Repository (AWR) Compare Periods report enables you to compare database performance between two periods of time.

While an AWR report shows AWR data between two snapshots (or two points in time), the AWR Compare Periods report shows the difference (ABE) between two periods (or two AWR reports with a total of four snapshots). Using the AWR Compare Periods report helps you to identify detailed performance attributes and configuration settings that differ between two time periods.

References:

QUESTION 36

Examine the parameter for your database instance:

NAME	TYPE	VALUE
optimizer_adaptive_reporting_only	boolean	FALSE
optimizer_capture_sql_plan_baselines	boolean	FALSE
optimizer_dynamic_sampling	integer	2
optimizer_features_enable	string	12.1.0.1

You generated the execution plan for the following query in the plan table and noticed that the nested loop join was done. After actual execution of the query, you notice that the hash join was done in the execution plan:

```
SQL> SELECT product_name
FROM   order_items o, product_information p
WHERE  o.unit_price = 15
AND    quantity > 1
AND    p.product_id = o.product_id;

30 rows selected.
```

Identify the reason why the optimizer chose different execution plans.

A. The optimizer used a dynamic plan for the query.

B. The optimizer chose different plans because automatic dynamic sampling was enabled.

- C. The optimizer used re-optimization cardinality feedback for the query.
- D. The optimizer chose different plan because extended statistics were created for the columns used.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

Which three statements are true about adaptive SQL plan management? (Choose three.)

- A. It automatically performs verification or evolves non-accepted plans, in COMPREHENSIVE mode when they perform better than existing accepted plans.
- B. The optimizer always uses the fixed plan, if the fixed plan exists in the plan baseline.
- C. It adds new, better plans automatically as fixed plans to the baseline.
- D. The non-accepted plans are automatically accepted and become usable by the optimizer if they perform better than the existing accepted plans.
- E. The non-accepted plans in a SQL plan baseline are automatically evolved, in COMPREHENSIVE mode, during the nightly maintenance window and a persistent verification report is generated.

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

With adaptive SQL plan management, DBAs no longer have to manually run the verification or evolve process for non-accepted plans. When automatic SQL tuning is in COMPREHENSIVE mode, it runs a verification or evolve process for all SQL statements that have non-accepted plans during the nightly maintenance window. If the non-accepted plan performs better than the existing accepted plan (or plans) in the SQL plan baseline, then the plan is automatically accepted and becomes usable by the optimizer. After the verification is complete, a persistent report is generated detailing how the non-accepted plan performs compared to the accepted plan performance. Because the evolve process is now an AUTOTASK, DBAs can also schedule their own evolve job at end time.

Note:

- * The optimizer is able to adapt plans on the fly by predetermining multiple subplans for portions of the plan.
- * Adaptive plans, introduced in Oracle Database 12c, enable the optimizer to defer the final plan decision for a statement until execution time. The optimizer instruments its chosen plan (the default plan) with statistics collectors so that it can detect at runtime, if its cardinality estimates differ greatly from the actual number of rows seen by the operations in the plan. If there is a significant difference, then the plan or a portion of it will be automatically adapted to avoid suboptimal performance on the first execution of a SQL statement.

References:

QUESTION 38

You create a new pluggable database, HR_PDB, from the seed database. Which three tablespaces are created by default in HR_PDB? (Choose three.)

- A. SYSTEM
- B. SYSAUX
- C. EXAMPLE
- D. UNDO

- E. TEMP
- F. USERS

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contain other user-created tablespaces in it.

* Oracle Database creates both the SYSTEM and SYSAUX tablespaces as part of every database.

* tablespace_datafile_clauses

Use these clauses to specify attributes for all data files comprising the SYSTEM and SYSAUX tablespaces in the seed PDB.

Incorrect:

Not D: a PDB can not have an undo tablespace. Instead, it uses the undo tablespace belonging to the CDB.

Note:

* Example:

CONN pdb_admin@pdb1

SELECT tablespace_name FROM dba_tablespaces;

TABLESPACE_NAME

SYSTEM

SYSAUX

TEMP

USERS

SQL>

QUESTION 39

Which two statements are true about variable extent size support for large ASM files? (Choose two.)

- A. The metadata used to track extents in SGA is reduced.
- B. Rebalance operations are completed faster than with a fixed extent size
- C. An ASM Instance automatically allocates an appropriate extent size.
- D. Resync operations are completed faster when a disk comes online after being taken offline.
- E. Performance improves in a stretch cluster configuration by reading from a local copy of an extent.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: Variable size extents enable support for larger ASM datafiles, reduce SGA memory requirements for very large databases (A), and improve performance for file create and open operations.

C: You don't have to worry about the sizes; the ASM instance automatically allocates the appropriate extent size.

Note:

* The contents of ASM files are stored in a disk group as a set, or collection, of data extents that are stored on individual disks within disk groups. Each extent resides on an individual disk. Extents consist of one or more allocation units (AU). To accommodate increasingly larger files, ASM uses variable size extents.

* The size of the extent map that defines a file can be smaller by a factor of 8 and 64 depending on the file size. The initial extent size is equal to the allocation unit size and it increases by a factor of 8 and 64 at predefined thresholds. This feature is automatic for newly created and resized datafiles when the disk group compatibility attributes are set to Oracle Release 11 or higher.

QUESTION 40

You executed a DROP USER CASCADE on an Oracle 11g release 1 database and immediately realized that you forgot to copy the OCA.EXAM_RESULTS table to the OCP schema.

The RECYCLE_BIN enabled before the DROP USER was executed and the OCP user has been granted the FLASHBACK ANY TABLE system privilege.

What is the quickest way to recover the contents of the OCA.EXAM_RESULTS table to the OCP schema?

- A. Execute FLASHBACK TABLE OCA.EXAM_RESULTS TO BEFORE DROP RENAME TO OCP.EXAM_RESULTS; connected as SYSTEM.
- B. Recover the table using traditional Tablespace Point In Time Recovery.
- C. Recover the table using Automated Tablespace Point In Time Recovery.
- D. Recovery the table using Database Point In Time Recovery.
- E. Execute FLASHBACK TABLE OCA.EXAM_RESULTS TO BEFORE DROP RENAME TO EXAM_RESULTS; connected as the OCP user.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

RMAN tablespace point-in-time recovery (TSPITR).

Recovery Manager (RMAN) TSPITR enables quick recovery of one or more tablespaces in a database to an earlier time without affecting the rest of the tablespaces and objects in the database.

Fully Automated (the default)

In this mode, RMAN manages the entire TSPITR process including the auxiliary instance. You specify the tablespaces of the recovery set, an auxiliary destination, the target time, and you allow RMAN to manage all other aspects of TSPITR.

The default mode is recommended unless you specifically need more control over the location of recovery set files after TSPITR, auxiliary set files during TSPITR, channel settings and parameters or some other aspect of your auxiliary instance.

QUESTION 41

In your multitenant container database (CDB) containing pluggable database (PDBs), the HR user executes the following commands to create and grant privileges on a procedure:

```
CREATE OR REPLACE PROCEDURE create_test_v (v_emp_id NUMBER, v_ename VARCHAR2, v_SALARY
NUMBER, v_dept_id NUMBER)
BEGIN
INSERT INTO hr.test VALUES (V_emp_id, V_ename, V_salary, V_dept_id);
END;
/
GRANT EXECUTE ON CREATE_TEST TO john, jim, smith, king;
```

How can you prevent users having the EXECUTE privilege on the CREATE_TEST procedure from inserting values into tables on which they do not have any privileges?

- A. Create the CREATE_TEST procedure with definer's rights.
- B. Grant the EXECUTE privilege to users with GRANT OPTION on the CREATE_TEST procedure.
- C. Create the CREATE_TEST procedure with invoker's rights.
- D. Create the CREATE_TEST procedure as part of a package and grant users the EXECUTE privilege the package.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

If a program unit does not need to be executed with the escalated privileges of the definer, you should specify that the program unit executes with the privileges of the caller, also known as the invoker. Invoker's rights can mitigate the risk of SQL injection.

Incorrect:

Not A: By default, stored procedures and SQL methods execute with the privileges of their owner, not their current user. Such definer-rights subprograms are bound to the schema in which they reside.

not B: Using the GRANT option, a user can grant an Object privilege to another user or to PUBLIC.

QUESTION 42

You created a new database using the "create database" statement without specifying the "ENABLE PLUGGABLE" clause.

What are two effects of not using the "ENABLE PLUGGABLE database" clause?

- A. The database is created as a non-CDB and can never contain a PDB.
- B. The database is treated as a PDB and must be plugged into an existing multitenant container database (CDB).
- C. The database is created as a non-CDB and can never be plugged into a CDB.
- D. The database is created as a non-CDB but can be plugged into an existing CDB.
- E. The database is created as a non-CDB but will become a CDB whenever the first PDB is plugged in.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A (not B,not E): The CREATE DATABASE ... ENABLE PLUGGABLE DATABASE SQL statement creates a new CDB. If you do not specify the ENABLE PLUGGABLE DATABASE clause, then the newly created database is a non-CDB and can never contain PDBs.

D: You can create a PDB by plugging in a Non-CDB as a PDB.
The following graphic depicts the options for creating a PDB:



Incorrect:

Not E: For the duration of its existence, a database is either a CDB or a non-CDB. You cannot transform a non-CDB into a CDB or vice versa. You must define a database as a CDB at creation, and then create PDBs within this CDB.

QUESTION 43

What is the effect of specifying the "ENABLE PLUGGABLE DATABASE" clause in a "CREATE DATABASE" statement?

- A. It will create a multitenant container database (CDB) with only the root opened.
- B. It will create a CDB with root opened and seed read only.
- C. It will create a CDB with root and seed opened and one PDB mounted.
- D. It will create a CDB that must be plugged into an existing CDB.
- E. It will create a CDB with root opened and seed mounted.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* The CREATE DATABASE ... ENABLE PLUGGABLE DATABASE SQL statement creates a new CDB. If you do not specify the ENABLE PLUGGABLE DATABASE clause, then the newly created database is a non-CDB and can never contain PDBs.

Along with the root (CDB\$ROOT), Oracle Database automatically creates a seed PDB (PDB\$SEED). The following graphic shows a newly created CDB:



* Creating a PDB

Rather than constructing the data dictionary tables that define an empty PDB from scratch, and then populating its Obj\$ and Dependency\$ tables, the empty PDB is created when the CDB is created. (Here, we use empty to mean containing no customer-created artifacts.) It is referred to as the seed PDB and has the name PDB\$Seed. Every CDB non-negotiably contains a seed PDB; it is non-negotiably always open in read-only mode. This has no conceptual significance; rather, it is just an optimization device. The create PDB operation is implemented as a special case of the clone PDB operation.

QUESTION 44

You have installed two 64G flash devices to support the Database Smart Flash Cache feature on your database server that is running on Oracle Linux.

You have set the DB_SMART_FLASH_FILE parameter:

DB_FLASH_CACHE_FILE= '/dev/flash_device_1 ',' /dev/flash_device_2'

How should the DB_FLASH_CACHE_SIZE be configured to use both devices?

- A. Set DB_FLASH_CACHE_SIZE = 64G.
- B. Set DB_FLASH_CACHE_SIZE = 64G, 64G
- C. Set DB_FLASH_CACHE_SIZE = 128G.
- D. DB_FLASH_CACHE_SIZE is automatically configured by the instance at startup.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Smart Flash Cache concept is not new in Oracle 12C - DB Smart Flash Cache in Oracle 11g.

In this release Oracle has made changes related to both initialization parameters used by DB Smart Flash cache. Now you can define many files|devices and its sizes for "Database Smart Flash Cache" area. In previous releases only one file|device could be defined.

DB_FLASH_CACHE_FILE = /dev/sda, /dev/sdb, /dev/sdc

DB_FLASH_CACHE_SIZE = 32G, 32G, 64G

So above settings defines 3 devices which will be in use by "DB Smart Flash Cache"

/dev/sda – size 32G

/dev/sdb – size 32G

/dev/sdc – size 64G

New view V\$FLASHFILESTAT – it's used to determine the cumulative latency and read counts of each file| device and compute the average latency

QUESTION 45

Examine the following parameters for a database instance:

MEMORY_MAX_TARGET=0
MEMORY_TARGET=0
SGA_TARGET=0
PGA_AGGREGATE_TARGET=500m

Which three initialization parameters are not controlled by Automatic Shared Memory Management (ASMM)? (Choose three.)

- A. LOG_BUFFER
- B. SORT_AREA_SIZE
- C. JAVA_POOL_SIZE
- D. STREAMS_POOL_SIZE
- E. DB_16K_CACHE_SIZE
- F. DB_KEEP_CACHE_SIZE

Correct Answer: AEF

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Manually Sized SGA Components that Use SGA_TARGET Space

SGA Component, Initialization Parameter

/ The log buffer

LOG_BUFFER

/ The keep and recycle buffer caches

DB_KEEP_CACHE_SIZE

DB_RECYCLE_CACHE_SIZE

/ Nonstandard block size buffer caches

DB_nK_CACHE_SIZE

Note:

* In addition to setting SGA_TARGET to a nonzero value, you must set to zero all initialization parameters listed in the table below to enable full automatic tuning of the automatically sized SGA components.

* Table, Automatically Sized SGA Components and Corresponding Parameters

SGA Component	Initialization Parameter
Fixed SGA and other internal allocations needed by the Oracle Database instance	N/A
The shared pool	SHARED_POOL_SIZE
The large pool	LARGE_POOL_SIZE
The Java pool	JAVA_POOL_SIZE
The buffer cache	DB_CACHE_SIZE
The Streams pool	STREAMS_POOL_SIZE

QUESTION 46

Examine the contents of SQL loader control file:

```

LOAD DATA
INFILE myfile1.dat
INFILE myfile2.dat
FIELD NAMES FIRST FILE
APPEND
INTO TABLE EMP
FIELDS CSV WITH EMBEDDED
DATE FORMAT "DD-Month_YYYY"
(empno,
ename,
job,
mgr,
hiredate DATE,
sal,
comm,
deptno,
entrydate DATE)

```

Which three statements are true regarding the SQL* Loader operation performed using the control file?
(Choose three.)

- A. An EMP table is created if a table does not exist. Otherwise, if the EMP table is appended with the loaded data.
- B. The SQL* Loader data file myfile1.dat has the column names for the EMP table.
- C. The SQL* Loader operation fails because no record terminators are specified.
- D. Field names should be the first line in the both the SQL* Loader data files.
- E. The SQL* Loader operation assumes that the file must be a stream record format file with the normal carriage return string as the record terminator.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: The APPEND keyword tells SQL*Loader to preserve any preexisting data in the table. Other options allow you to delete preexisting data, or to fail with an error if the table is not empty to begin with.

B (not D):

Note:

* SQL*Loader-00210: first data file is empty, cannot process the FIELD NAMES record

Cause: The data file listed in the next message was empty. Therefore, the FIELD NAMES FIRST FILE directive could not be processed.

Action: Check the listed data file and fix it. Then retry the operation

E:

* A comma-separated values (CSV) (also sometimes called character-separated values, because the separator character does not have to be a comma) file stores tabular data (numbers and text) in plain-text form. Plain text means that the file is a sequence of characters, with no data that has to be interpreted instead, as binary numbers. A CSV file consists of any number of records, separated by line breaks of some kind; each record consists of fields, separated by some other character or string, most commonly a literal comma or tab. Usually, all records have an identical sequence of fields.

* Fields with embedded commas must be quoted.

Example:

1997,Ford,E350,"Super, luxurious truck"

Note:

* SQL*Loader is a bulk loader utility used for moving data from external files into the Oracle database.

QUESTION 47

In your multitenant container database (CDB) containing pluggable database (PDBs), you granted the CREATE TABLE privilege to the common user C ## A_ADMIN in root and all PDBs. You execute the following command from the root container:

```
SQL > REVOKE create table FROM C ## A_ADMIN;
```

What is the result?

- A. It executes successfully and the CREATE TABLE privilege is revoked from C ## A_ADMIN in root only.
- B. It fails and reports an error because the CONTAINER=ALL clause is not used.
- C. It executes successfully and the CREATE TABLE privilege is revoked from C ## A_ADMIN in root and all PDBs.
- D. It fails and reports an error because the CONTAINER=CURRENT clause is not used.
- E. It executes successfully and the CREATE TABLE privilege is revoked from C ## A_ADMIN in all PDBs.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

REVOKE ..FROM

If the current container is the root:

/ Specify CONTAINER = CURRENT to revoke a locally granted system privilege, object privilege, or role from a common user or common role. The privilege or role is revoked from the user or role only in the root. This clause does not revoke privileges granted with CONTAINER = ALL.

/ Specify CONTAINER = ALL to revoke a commonly granted system privilege, object privilege on a common object, or role from a common user or common role. The privilege or role is revoked from the user or role across the entire CDB. This clause can revoke only a privilege or role granted with CONTAINER = ALL from the specified common user or common role. This clause does not revoke privileges granted locally with CONTAINER = CURRENT. However, any locally granted privileges that depend on the commonly granted privilege being revoked are also revoked.

If you omit this clause, then CONTAINER = CURRENT is the default.

References:

QUESTION 48

Which two statements are true concerning the Resource Manager plans for individual pluggable databases (PDB plans) in a multitenant container database (CDB)? (Choose two.)

- A. If no PDB plan is enabled for a pluggable database, then all sessions for that PDB are treated to an equal degree of the resource share of that PDB.
- B. In a PDB plan, subplans may be used with up to eight consumer groups.
- C. If a PDB plan is enabled for a pluggable database, then resources are allocated to consumer groups across all PDBs in the CDB.
- D. If no PDB plan is enabled for a pluggable database, then the PDB share in the CDB plan is dynamically calculated.

- E. If a PDB plan is enabled for a pluggable database, then resources are allocated to consumer groups based on the shares provided to the PDB in the CDB plan and the shares provided to the consumer groups in the PDB plan.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: Setting a PDB resource plan is optional. If not specified, all sessions within the PDB are treated equally.

*

In a non-CDB database, workloads within a database are managed with resource plans.

In a PDB, workloads are also managed with resource plans, also called PDB resource plans.

The functionality is similar except for the following differences:

/ Non-CDB Database

Multi-level resource plans

Up to 32 consumer groups

Subplans

/ PDB Database

Single-level resource plans only

Up to 8 consumer groups

(not B) No subplans

QUESTION 49

You use a recovery catalog for maintaining your database backups.

You execute the following command:

```
$rman TARGET / CATALOG rman / cat@catdb
```

```
RMAN > BACKUP VALIDATE DATABASE ARCHIVELOG ALL;
```

Which two statements are true? (Choose two.)

- A. Corrupted blocks, if any, are repaired.
- B. Checks are performed for physical corruptions.
- C. Checks are performed for logical corruptions.
- D. Checks are performed to confirm whether all database files exist in correct locations
- E. Backup sets containing both data files and archive logs are created.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B (not C): You can validate that all database files and archived redo logs can be backed up by running a command as follows:

```
RMAN> BACKUP VALIDATE DATABASE ARCHIVELOG ALL;
```

This form of the command would check for physical corruption. To check for logical corruption,

```
RMAN> BACKUP VALIDATE CHECK LOGICAL DATABASE ARCHIVELOG ALL;
```

D: You can use the VALIDATE keyword of the BACKUP command to do the following:

Check datafiles for physical and logical corruption

Confirm that all database files exist and are in the correct locations.

Note:

You can use the VALIDATE option of the BACKUP command to verify that database files exist and are in the correct locations (D), and have no physical or logical corruptions that would prevent RMAN from creating backups of them. When performing a BACKUP...VALIDATE, RMAN reads the files to be backed up in their entirety, as it would during a real backup. It does not, however, actually produce any backup sets or image copies (Not A, not E).

QUESTION 50

Which three statements are true concerning the multitenant architecture? (Choose three.)

- A. Each pluggable database (PDB) has its own set of background processes.
- B. A PDB can have a private temp tablespace.
- C. PDBs can share the sysaux tablespace.
- D. Log switches occur only at the multitenant container database (CDB) level.
- E. Different PDBs can have different default block sizes.
- F. PDBs share a common system tablespace.
- G. Instance recovery is always performed at the CDB level.

Correct Answer: BDG

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contain other user created tablespaces in it.

* There is one default temporary tablespace for the entire CDB. However, you can create additional temporary tablespaces in individual PDBs.

D:

* There is a single redo log and a single control file for an entire CDB

* A log switch is the point at which the database stops writing to one redo log file and begins writing to another. Normally, a log switch occurs when the current redo log file is completely filled and writing must continue to the next redo log file.

G: instance recovery

The automatic application of redo log records to uncommitted data blocks when an database instance is restarted after a failure.

Incorrect:

Not A:

* There is one set of background processes shared by the root and all PDBs.

* High consolidation density. The many pluggable databases in a single container database share its memory and background processes, letting you operate many more pluggable databases on a particular platform than you can single databases that use the old architecture.

Not C: There is a separate SYSAUX tablespace for the root and for each PDB.

Not F: There is a separate SYSTEM tablespace for the root and for each PDB.

QUESTION 51

You notice that the elapsed time for an important database scheduler Job is unacceptably long.

The job belongs to a scheduler job class and window.

Which two actions would reduce the job's elapsed time? (Choose two.)

- A. Increasing the priority of the job class to which the job belongs
- B. Increasing the job's relative priority within the Job class to which it belongs
- C. Increasing the resource allocation for the consumer group mapped to the scheduler job's job class within the plan mapped to the scheduler window
- D. Moving the job to an existing higher priority scheduler window with the same schedule and duration
- E. Increasing the value of the JOB_QUEUE_PROCESSES parameter
- F. Increasing the priority of the scheduler window to which the job belongs

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B: Job priorities are used only to prioritize among jobs in the same class.

Note: Group jobs for prioritization

Within the same job class, you can assign priority values of 1-5 to individual jobs so that if two jobs in the class are scheduled to start at the same time, the one with the higher priority takes precedence. This ensures that you do not have a less important job preventing the timely completion of a more important one.

C: Set resource allocation for member jobs

Job classes provide the link between the Database Resource Manager and the Scheduler, because each job class can specify a resource consumer group as an attribute. Member jobs then belong to the specified consumer group and are assigned resources according to settings in the current resource plan.

QUESTION 52

You plan to migrate your database from a File system to Automata Storage Management (ASM) on same platform.

Which two methods or commands would you use to accomplish this task? (Choose two.)

- A. RMAN CONVERT command
- B. Data Pump Export and import
- C. Conventional Export and Import
- D. The BACKUP AS COPY DATABASE . . . command of RMAN
- E. DBMS_FILE_TRANSFER with transportable tablespace

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A:

1. Get the list of all datafiles.

Note: RMAN Backup of ASM Storage

There is often a need to move the files from the file system to the ASM storage and vice versa. This may come in handy when one of the file systems is corrupted by some means and then the file may need to be moved to the other file system.

D: Migrating a Database into ASM

* To take advantage of Automatic Storage Management with an existing database you must migrate that database into ASM. This migration is performed using Recovery Manager (RMAN) even if you are not using RMAN for your primary backup and recovery strategy.

* Example:

Back up your database files as copies to the ASM disk group.

```
BACKUP AS COPY INCREMENTAL LEVEL 0 DATABASE  
FORMAT '+DISK' TAG 'ORA_ASM_MIGRATION';
```

References:

QUESTION 53

You run a script that completes successfully using SQL*Plus that performs these actions:

1. Creates a multitenant container database (CDB)
2. Plugs in three pluggable databases (PDBs)
3. Shuts down the CDB instance
4. Starts up the CDB instance using STARTUP OPEN READ WRITE

Which two statements are true about the outcome after running the script? (Choose two.)

- A. The seed will be in mount state.
- B. The seed will be opened read-only.
- C. The seed will be opened read/write.
- D. The other PDBs will be in mount state.
- E. The other PDBs will be opened read-only.
- F. The PDBs will be opened read/write.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B: The seed is always read-only.

D: Pluggable databases can be started and stopped using SQL*Plus commands or the ALTER PLUGGABLE DATABASE command.

QUESTION 54

You execute the following piece of code with appropriate privileges:

```

BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.FULL,
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES","MGR") = "FALSE"';
END;
/

CREATE VIEW SCOTT.EMP_V AS SELECT * FROM SCOTT.EMP;

BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP_V',
    POLICY_NAME   => 'SCOTT_EMP_V',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.NONE,
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES","MGR") = "FALSE"';
END;
/

```

User SCOTT has been granted the CREATE SESSION privilege and the MGR role.

Which two statements are true when a session logged in as SCOTT queries the SAL column in the view and the table? (Choose two.)

- A. Data is redacted for the EMP.SAL column only if the SCOTT session does not have the MGR role set.
- B. Data is redacted for EMP.SAL column only if the SCOTT session has the MGR role set.
- C. Data is never redacted for the EMP_V.SAL column.
- D. Data is redacted for the EMP_V.SAL column only if the SCOTT session has the MGR role set.
- E. Data is redacted for the EMP_V.SAL column only if the SCOTT session does not have the MGR role set.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Note:

* DBMS_REDACT.FULL completely redacts the column data.

* DBMS_REDACT.NONE applies no redaction on the column data. Use this function for development testing purposes. LOB columns are not supported.

* The DBMS_REDACT package provides an interface to Oracle Data Redaction, which enables you to mask (redact) data that is returned from queries issued by low-privileged users or an application.

* If you create a view chain (that is, a view based on another view), then the Data Redaction policy also applies throughout this view chain. The policies remain in effect all of the way up through this view chain, but if another policy is created for one of these views, then for the columns affected in the subsequent views, this new policy takes precedence.

QUESTION 55

Your database is open and the LISTENER listener running. You stopped the wrong listener LISTENER by issuing the following command:

```
1snrctl > STOP
```

What happens to the sessions that are presently connected to the database Instance?

- A. They are able to perform only queries.
- B. They are not affected and continue to function normally.
- C. They are terminated and the active transactions are rolled back.
- D. They are not allowed to perform any operations until the listener LISTENER is started.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The listener is used when the connection is established. The immediate impact of stopping the listener will be that no new session can be established from a remote host. Existing sessions are not compromised.

QUESTION 56

Which three statements are true about using flashback database in a multitenant container database (CDB)? (Choose three.) (Choose three.)

- A. The root container can be flashed back without flashing back the pluggable databases (PDBs).
- B. To enable flashback database, the CDB must be mounted.
- C. Individual PDBs can be flashed back without flashing back the entire CDB.
- D. The DB_FLASHBACK_RETENTION_TARGET parameter must be set to enable flashback of the CDB.
- E. A CDB can be flashed back specifying the desired target point in time or an SCN, but not a restore point.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 57

You enabled an audit policy by issuing the following statements:

```
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER BY SCOTT;  
SQL> AUDIT POLICY ORA_DATABASE_PARAMETER BY SYS, SYSTEM;
```

For which database users and for which executions is the audit policy now active? Select two.

- A. SYS, SYSTEM
- B. SCOTT
- C. Only for successful executions
- D. Only for failed executions
- E. Both successful and failed executions

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* The ORA_DATABASE_PARAMETER policy audits commonly used Oracle Database parameter settings. By default, this policy is not enabled.

QUESTION 58

A redaction policy was added to the SAL column of the SCOTT.EMP table:

```
BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES", "MGR") = "FALSE"';
END;
/
```

All users have their default set of system privileges.

For which three situations will data not be redacted? (Choose three.)

- A. SYS sessions, regardless of the roles that are set in the session
- B. SYSTEM sessions, regardless of the roles that are set in the session
- C. SCOTT sessions, only if the MGR role is set in the session
- D. SCOTT sessions, only if the MGR role is granted to SCOTT
- E. SCOTT sessions, because he is the owner of the table
- F. SYSTEM session, only if the MGR role is set in the session

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

What is the result of executing a TRUNCATE TABLE command on a table that has Flashback Archiving enabled?

- A. It fails with the ORA-665610 Invalid DDL statement on history-tracked message
- B. The rows in the table are truncated without being archived.
- C. The rows in the table are archived, and then truncated.
- D. The rows in both the table and the archive are truncated.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

Which three activities are supported by the Data Recovery Advisor? (Choose three.)

- A. Advising on block checksum failures
- B. Advising on inaccessible control files
- C. Advising on inaccessible block change tracking files
- D. Advising on empty password files
- E. Advising on invalid block header field values

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Data Recovery Advisor can diagnose failures such as the following:

/ (B) Components such as datafiles and control files that are not accessible because they do not exist, do not have the correct access permissions, have been taken offline, and so on

/ (A, E) Physical corruptions such as block checksum failures and invalid block header field values

/ Inconsistencies such as a datafile that is older than other database files

/ I/O failures such as hardware errors, operating system driver failures, and exceeding operating system resource limits (for example, the number of open files)

* The Data Recovery Advisor automatically diagnoses corruption or loss of persistent data on disk, determines the appropriate repair options, and executes repairs at the user's request. This reduces the complexity of recovery process, thereby reducing the Mean Time To Recover (MTTR).

QUESTION 61

You create a table with the PERIOD FOR clause to enable the use of the Temporal Validity feature of Oracle Database 12c.

Examine the table definition:

```
create table employees
(empno number, salary number,
deptid number, name varchar2(100),
period for employee_time);
```

Which three statements are true concerning the use of the Valid Time Temporal feature for the EMPLOYEES table? (Choose three.)

- A. The valid time columns employee_time_start and employee_time_end are automatically created.
- B. The same statement may filter on both transaction time and valid temporal time by using the AS OF TIMESTAMP and PERIOD FOR clauses.
- C. The valid time columns are not populated by the Oracle Server automatically.
- D. The valid time columns are visible by default when the table is described.
- E. Setting the session valid time using DBMS_FLASHBACK_ARCHIVE.ENABLE_AT_VALID_TIME sets the visibility for data manipulation language (DML), data definition language (DDL), and queries performed by the session.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Which three statements are true regarding the use of the Database Migration Assistant for Unicode (DMU)? (Choose three.)

- A. A DBA can check specific tables with the DMU
- B. The database to be migrated must be opened read-only.
- C. The release of the database to be converted can be any release since 9.2.0.8.
- D. The DMU can report columns that are too long in the converted character set.
- E. The DMU can report columns that are not represented in the converted character set.

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: In certain situations, you may want to exclude selected columns or tables from scanning or conversion steps of the migration process.

D: Exceed column limit

The cell data will not fit into a column after conversion.

E: Need conversion

The cell data needs to be converted, because its binary representation in the target character set is different than the representation in the current character set, but neither length limit issues nor invalid representation issues have been found.

* Oracle Database Migration Assistant for Unicode (DMU) is a unique next-generation migration tool providing an end-to-end solution for migrating your databases from legacy encodings to Unicode.

Incorrect:

Not C: The release of Oracle Database must be 10.2.0.4, 10.2.0.5, 11.1.0.7, 11.2.0.1, or later.

QUESTION 63

Oracle Grid Infrastructure for a stand-alone server is installed on your production host before installing the Oracle Database server. The database and listener are configured by using Oracle Restart.

Examine the following command and its output:

```
$ crsctl config has
```

```
CRS-4622: Oracle High Availability Services auto start is enabled.
```

What does this imply?

- A. When you start an instance on a high with SQL *Plus dependent listeners and ASM disk groups are automatically started.
- B. When a database instance is started by using the SRVCTL utility and listener startup fails, the instance is still started.
- C. When a database is created by using SQL* Plus, it is automatically added to the Oracle Restart configuration.
- D. When you create a database service by modifying the SERVICE_NAMES initialization parameter, it is

automatically added to the Oracle Restart configuration.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

About Startup Dependencies

Oracle Restart ensures that Oracle components are started in the proper order, in accordance with component dependencies. For example, if database files are stored in Oracle ASM disk groups, then before starting the database instance, Oracle Restart ensures that the Oracle ASM instance is started and the required disk groups are mounted. Likewise, if a component must be shut down, Oracle Restart ensures that dependent components are cleanly shut down first.

Oracle Restart also manages the weak dependency between database instances and the Oracle Net listener (the listener): When a database instance is started, Oracle Restart attempts to start the listener. If the listener startup fails, then the database is still started. If the listener later fails, Oracle Restart does not shut down and restart any database instances.

http://docs.oracle.com/cd/E16655_01/server.121/e17636/restart.htm#ADMIN12710

QUESTION 64

Your multitenant container database (CDB) contains some pluggable databases (PDBs), you execute the following command in the root container:

```
SQL> CREATE USER c##a_admin
      IDENTIFIED BY password
      DEFAULT TABLESPACE data_ts
      QUOTA 100M ON test_ts
      QUOTA 500K ON data_ts
      TEMPORARY TABLESPACE temp_ts
      PROFILE hr_profile;
```

Which two statements are true? (Choose two.)

- A. Schema objects owned by the C# # A_ADMIN common user can be shared across all PDBs.
- B. The C # # A_ADMIN user will be able to use the TEMP_TS temporary tablespace only in root.
- C. The command will, create a common user whose description is contained in the root and each PDB.
- D. The schema for the common user C # # A_ADMIN can be different in each container.
- E. The command will create a user in the root container only because the container clause is not used.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 65

You performed an incremental level 0 backup of a database:

```
RMAN > BACKUP INCREMENTAL LEVEL 0 DATABASE;
```

To enable block change tracking after the incremental level 0 backup, you issued this command:

```
SQL > ALTER DATABASE ENABLE BLOCK CHANGE TRACKING USING FILE
```

```
‘ /mydir/rman_change_track.f’;
```

To perform an incremental level 1 cumulative backup, you issued this command:

```
RMAN> BACKUP INCREMENTAL LEVEL 1 CUMULATIVE DATABASE;
```

Which three statements are true? (Choose three.)

- A. Backup change tracking will sometimes reduce I/O performed during cumulative incremental backups.
- B. The change tracking file must always be backed up when you perform a full database backup.
- C. Block change tracking will always reduce I/O performed during cumulative incremental backups.
- D. More than one database block may be read by an incremental backup for a change made to a single block.
- E. The incremental level 1 backup that immediately follows the enabling of block change tracking will not read the change tracking file to discover changed blocks.

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

You find this query being used in your Oracle 12c database:

```
select employee_id, first_name, salary
from hr.employees
order by employee_id
fetch first 20 percent rows only;
```

Which method is used by the optimizer to limit the rows being returned?

- A. A filter is added to the table query dynamically using ROWNUM to limit the rows to 20 percent of the total rows
- B. All the rows are returned to the client or middle tier but only the first 20 percent are returned to the screen or the application.
- C. A view is created during execution and a filter on the view limits the rows to 20 percent of the total rows.
- D. A TOP-N query is created to limit the rows to 20 percent of the total rows

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 67

Which three resources might be prioritized between competing pluggable databases when creating a multitenant container database plan (CDB plan) using Oracle Database Resource Manager? (Choose three.)

- A. Maximum Undo per consumer group
- B. Maximum Idle time
- C. Parallel server limit
- D. CPU

- E. Exadata I/O
- F. Local file system I/O

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 68

You created an encrypted tablespace:

```
SQL> CREATE TABLESPACE securespace  
      DATAFILE '/home/user/oradata/secure01.dbf'  
      SIZE 150M  
      ENCRYPTION USING '3DES168'  
      DEFAULT STORAGE (ENCRYPT) ;
```

You then closed the encryption wallet because you were advised that this is secure.

Later in the day, you attempt to create the EMPLOYEES table in the SECURESPACE tablespace with the SALT option on the EMPLOYEE column.

Which is true about the result?

- A. It creates the table successfully but does not encrypt any inserted data in the EMPNAME column because the wallet must be opened to encrypt columns with SALT.
- B. It generates an error when creating the table because the wallet is closed.
- C. It creates the table successfully, and encrypts any inserted data in the EMPNAME column because the wallet needs to be open only for tablespace creation.
- D. It generates error when creating the table, because the salt option cannot be used with encrypted tablespaces.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

On your Oracle Database, you issue the following commands to create indexes:

```
SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customer_id, sales_rep_id) INVISIBLE;
```

```
SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON oe.orders (customer_id, sales_rep_id);
```

Which two statements are true? (Choose two.)

- A. Only the ORD_CUSTOMER_IX1 index created.
- B. Both the indexes are updated when a row is inserted, updated, or deleted in the ORDERS table.
- C. Both the indexes are created; however, only ORD_CUSTOMERS_IX1 is used by the optimizer for queries on the ORDERS table.

- D. The ORD_CUSTOMER_IX1 index is not used by the optimizer even when the OPTIMIZER_USE_INVISIBLE_INDEXES parameters is set to true.
- E. Both the indexes are created and used by the optimizer for queries on the ORDERS table.
- F. Both the indexes are created: however, only ORD_CUSTOMERS_IX2 is used by the optimizer for queries on the ORDERS table.

Correct Answer: BF

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Not A: Both indexes are created fine.

B: The invisible index ORD_CUSTOMERS_IX1 and the bitmap index are both updated by DML operations on the Orders table.

F: Since ORD_CUSTOMERS_IX1 is invisible only ORD_CUSTOMERS_IX2 is used by the query optimizer.

Not C,Not D,Not E:

* ord_customer_ix1 is an invisible index and is therefore not used by the optimizer.

* VISIBLE | INVISIBLE Use this clause to specify whether the index is visible or invisible to the optimizer. An invisible index is maintained by DML operations, but it is not be used by the optimizer during queries unless you explicitly set the parameter OPTIMIZER_USE_INVISIBLE_INDEXES to TRUE at the session or system level.

Note: Specify BITMAP to indicate that index is to be created with a bitmap for each distinct key, rather than indexing each row separately. Bitmap indexes store the rowids associated with a key value as a bitmap. Each bit in the bitmap corresponds to a possible rowid. If the bit is set, then it means that the row with the corresponding rowid contains the key value. The internal representation of bitmaps is best suited for applications with low levels of concurrent transactions, such as data warehousing.

QUESTION 70

Which two statements are true when row archival management is enabled? (Choose two.)

- A. The ORA_ARCHIVE_STATE column visibility is controlled by the ROW ARCHIVAL VISIBILITY session parameter.
- B. The ORA_ARCHIVE_STATE column is updated manually or by a program that could reference activity tracking columns, to indicate that a row is no longer considered active.
- C. The ROW ARCHIVAL VISIBILITY session parameter defaults to active rows only.
- D. The ORA_ARCHIVE_STATE column is visible if referenced in the select list of a query.
- E. The ORA_ARCHIVE_STATE column is updated automatically by the Oracle Server based on activity tracking columns, to indicate that a row is no longer considered active.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

A warehouse fact table in your Oracle 12c Database is range-partitioned by month and accessed frequently with queries that span multiple partitions

The table has a local prefixed, range partitioned index.

Some of these queries access very few rows in some partitions and all the rows in other partitions, but these queries still perform a full scan for all accessed partitions.

This commonly occurs when the range of dates begins at the end of a month or ends close to the start of a month.

You want an execution plan to be generated that uses indexed access when only a few rows are accessed from a segment, while still allowing full scans for segments where many rows are returned.

Which three methods could transparently help to achieve this result? (Choose three.)

- A. Using a partial local Index on the warehouse fact table month column with indexing disabled to the table partitions that return most of their rows to the queries.
- B. Using a partial local Index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.
- C. Using a partitioned view that does a UNION ALL query on the partitions of the warehouse fact table, which retains the existing local partitioned column.
- D. Converting the partitioned table to a partitioned view that does a UNION ALL query on the monthly tables, which retains the existing local partitioned column.
- E. Using a partial global index on the warehouse fact table month column with indexing disabling for the table partitions that return most of their rows to the queries.
- F. Using a partial global index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Note:

* Oracle 12c now provides the ability to index a subset of partitions and to exclude the others.

Local and global indexes can now be created on a subset of the partitions of a table. Partial Global indexes provide more flexibility in index creation for partitioned tables. For example, index segments can be omitted for the most recent partitions to ensure maximum data ingest rates without impacting the overall data model and access for the partitioned object.

Partial Global Indexes save space and improve performance during loads and queries. This feature supports global indexes that include or index a certain subset of table partitions or subpartitions, and exclude the others. This operation is supported using a default table indexing property. When a table is created or altered, a default indexing property can be specified for the table or its partitions.

QUESTION 72

You use the segment advisor to help determine objects for which space may be reclaimed.

Which three statements are true about the advisor given by the segment advisor? (Choose three.)

- A. It may advise the use of online table redefinition for tables in dictionary managed tablespace.
- B. It may advise the use of segment shrink for tables in dictionary managed tablespaces if the no chained rows.
- C. It may advise the use of online table redefinition for tables in locally managed tablespaces
- D. It will detect and advise about chained rows.
- E. It may advise the use of segment shrink for free list managed tables.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

You have altered a non-unique index to be invisible to determine if queries execute within an acceptable response time without using this index.

Which two are possible if table updates are performed which affect the invisible index columns? (Choose two.)

- A. The index remains invisible.
- B. The index is not updated by the DML statements on the indexed table.
- C. The index automatically becomes visible in order to have it updated by DML on the table.
- D. The index becomes unusable but the table is updated by the DML.
- E. The index is updated by the DML on the table.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Unlike unusable indexes, an invisible index is maintained during DML statements.

Note:

* Oracle 11g allows indexes to be marked as invisible. Invisible indexes are maintained like any other index, but they are ignored by the optimizer unless the OPTIMIZER_USE_INVISIBLE_INDEXES parameter is set to TRUE at the instance or session level. Indexes can be created as invisible by using the INVISIBLE keyword, and their visibility can be toggled using the ALTER INDEX command.

QUESTION 74

In your multitenant container database (CDB) containing same pluggable databases (PDBs), you execute the following commands in the root container:

```
SQL> CREATE ROLE c##role1;
```

```
SQL> GRANT create view, create procedure to c##role1;
```

```
SQL> GRANT c##role1 to c##a_admin;
```

Which two statements are true? (Choose two.)

- A. The C ## ROLE1 role is created in the root database and all the PDBs.
- B. The C ## ROLE1 role is created only in the root database because the container clause is not used.
- C. Privileges are granted to the C##A_ADMIN user only in the root database.
- D. Privileges are granted to the C##A_ADMIN user in the root database and all PDBs.
- E. The statement for granting a role to a user fails because the CONTAINER clause is not used.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* You can include the CONTAINER clause in several SQL statements, such as the CREATE USER, ALTER USER, CREATE ROLE, GRANT, REVOKE, and ALTER SYSTEM statements.

* * CREATE ROLE with CONTAINER (optional) clause

/ CONTAINER = ALL

Creates a common role.

/ CONTAINER = CURRENT
Creates a local role in the current PDB.

QUESTION 75

The persistent configuration settings for RMAN have default for all parameters.

Identify four RMAN commands that produce a multi-section backup.

- A. BACKUP TABLESPACE SYSTEM SECTION SIZE 100M;
- B. BACKUP AS COPY TABLESPACE SYSTEM SECTION SIZE 100M;
- C. BACKUP ARCHIVELOG ALL SECTION SIZE 25M;
- D. BACKUP TABLESPACE "TEMP" SECTION SIZE 10M;
- E. BACKUP TABLESPACE "UNDO" INCLUDE CURRENT CONTROLFILE SECTION SIZE 100M;
- F. BACKUP SPFILE SECTION SIZE 1M;
- G. BACKUP INCREMENTAL LEVEL 0 TABLESPACE SYSAUX SECTION SIZE 100M;

Correct Answer: ABEG

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 76

Flashback is enabled for your multitenant container database (CDB), which contains two pluggable database (PDBs). A local user was accidentally dropped from one of the PDBs.

You want to flash back the PDB to the time before the local user was dropped. You connect to the CDB and execute the following commands:

```
SQL > SHUTDOWN IMMEDIATE
SQL > STARTUP MOUNT
SQL > FLASHBACK DATABASE to TIME "TO_DATE ('08/20/12' , 'MM/DD/YY');
```

Examine following commands:

1. ALTER PLUGGABLE DATABASE ALL OPEN;
2. ALTER DATABASE OPEN;
3. ALTER DATABASE OPEN RESETLOGS;

Which command or commands should you execute next to allow updates to the flashback back schema?

- A. Only 1
- B. Only 2
- C. Only 3
- D. 3 and 1
- E. 1 and 2

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 77

Examine the commands executed to monitor database operations:

```
$> conn sys oracle/oracle@prod as sysdba
SQL > VAR eid NUMBER
SQL > EXEC: eid := DBMS_SQL_MONITOR.BEGIN_OPERATION ('batch_job' , FORCED_TRACKING => 'Y');
```

Which two statements are true? (Choose two.)

- A. Database operations will be monitored only when they consume a significant amount of resource.
- B. Database operations for all sessions will be monitored.
- C. Database operations will be monitored only if the STATISTICS_LEVEL parameter is set to TYPICAL and CONTROL_MANAGEMENT_PACK_ACCESS is set DIAGNOSTIC + TUNING.
- D. Only DML and DDL statements will be monitored for the session.
- E. All subsequent statements in the session will be treated as one database operation and will be monitored.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

C: Setting the CONTROL_MANAGEMENT_PACK_ACCESS initialization parameter to DIAGNOSTIC+TUNING (default) enables monitoring of database operations. Real-Time SQL Monitoring is a feature of the Oracle Database Tuning Pack.

Note:

* The DBMS_SQL_MONITOR package provides information about Real-time SQL Monitoring and Real-time Database Operation Monitoring.

*(not B) BEGIN_OPERATION Function starts a composite database operation in the current session.

/ (E) FORCE_TRACKING - forces the composite database operation to be tracked when the operation starts. You can also use the string variable 'Y'.

/ (not A) NO_FORCE_TRACKING - the operation will be tracked only when it has consumed at least 5 seconds of CPU or I/O time. You can also use the string variable 'N'.

QUESTION 78

Which three statements are true about the working of system privileges in a multitenant control database (CDB) that has pluggable databases (PDBs)? (Choose three.)

- A. System privileges apply only to the PDB in which they are used.
- B. Local users cannot use local system privileges on the schema of a common user.
- C. The granter of system privileges must possess the set container privilege.
- D. Common users connected to a PDB can exercise privileges across other PDBs.
- E. System privileges with the with grant option container all clause must be granted to a common user before the common user can grant privileges to other users.

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A, Not D: In a CDB, PUBLIC is a common role. In a PDB, privileges granted locally to PUBLIC enable all local and common users to exercise these privileges in this PDB only.

C: A user can only perform common operations on a common role, for example, granting privileges commonly to the role, when the following criteria are met:

The user is a common user whose current container is root.

The user has the SET CONTAINER privilege granted commonly, which means that the privilege applies in all containers.

The user has privilege controlling the ability to perform the specified operation, and this privilege has been granted commonly

Incorrect:

Note:

* Every privilege and role granted to Oracle-supplied users and roles is granted commonly except for system privileges granted to PUBLIC, which are granted locally.

QUESTION 79

You are about to plug a multi-terabyte non-CDB into an existing multitenant container database (CDB) as a pluggable database (PDB).

The characteristics of the non-CDB are as follows:

- Version: Oracle Database 12c Releases 1 64-bit
- Character set: WE8ISO8859P15
- National character set: AL16UTF16
- O/S: Oracle Linux6 64-bit

The characteristics of the CDB are as follows:

- Version: Oracle Database 12c Release 1 64-bit
- Character set: AL32UTF8
- O/S: Oracle Linux 6 64-bit

Which technique should you use to minimize down time while plugging this non-CDB into the CDB?

- A. Transportable database
- B. Transportable tablespace
- C. Data Pump full export / import
- D. The DBMS_PDB package
- E. RMAN

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

Your database has the SRV1 service configured for an application that runs on middle-tier application server. The application has multiple modules. You enable tracing at the service level by executing the following command:

```
SQL > exec DBMS_MONITOR.SERV_MOD_ACT_TRACE_ENABLE ('SRV1');
```

The possible outcome and actions to aggregate the trace files are as follows:

1. The command fails because a module name is not specified.
2. A trace file is created for each session that is running the SRV1 service.

3. An aggregated trace file is created for all the sessions that are running the SRV1 service.
4. The trace files may be aggregated by using the trcess utility.
5. The trace files be aggregated by using the tkprof utility.

Identify the correct outcome and the step to aggregate by using tkprof utility?

- A. 1
- B. 2 and 4
- C. 2 and 5
- D. 3 and 4
- E. 3 and 5

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Tracing information is present in multiple trace files and you must use the trcess tool to collect it into a single file.

Incorrect:

Not 1: Parameter service_name

Name of the service for which tracing is enabled.

module_name

Name of the MODULE. An optional additional qualifier for the service.

Note:

* The procedure enables a trace for a given combination of Service, MODULE and ACTION name. The specification is strictly hierarchical: Service Name or Service Name/MODULE, or Service Name, MODULE, and ACTION name must be specified. Omitting a qualifier behaves like a wild-card, so that not specifying an ACTION means all ACTIONS. Using the ALL_ACTIONS constant achieves the same purpose.

* SERV_MOD_ACT_TRACE_ENABLE Procedure

This procedure will enable SQL tracing for a given combination of Service Name, MODULE and ACTION globally unless an instance_name is specified.

```
* DBMS_MONITOR.SERV_MOD_ACT_TRACE_ENABLE(  
service_name IN VARCHAR2,  
module_name IN VARCHAR2 DEFAULT ANY_MODULE,  
action_name IN VARCHAR2 DEFAULT ANY_ACTION,  
waits IN BOOLEAN DEFAULT TRUE,  
binds IN BOOLEAN DEFAULT FALSE,  
instance_name IN VARCHAR2 DEFAULT NULL);
```

QUESTION 81

Your multitenant container database (CDB) contains pluggable databases (PDBs), you are connected to the HR_PDB. You execute the following command:

```
SQL > CREATE UNDO TABLESPACE undotb01  
DATAFILE 'u01/oracle/rddb1/undotbs01.dbf' SIZE 60M AUTOEXTEND ON;
```

What is the result?

- A. It executes successfully and creates an UNDO tablespace in HR_PDB.
- B. It falls and reports an error because there can be only one undo tablespace in a CDB.

- C. It fails and reports an error because the CONTAINER=ALL clause is not specified in the command.
- D. It fails and reports an error because the CONTAINER=CURRENT clause is not specified in the command.
- E. It executes successfully but neither tablespace nor the data file is created.

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Interesting behavior in 12.1.0.1 DB of creating an undo tablespace in a PDB. With the new Multitenant architecture the undo tablespace resides at the CDB level and PDBs all share the same UNDO tablespace.

When the current container is a PDB, an attempt to create an undo tablespace fails without returning an error.

QUESTION 82

Which three statements are true about SQL plan directives? (Choose three.)

- A. They are tied to a specific statement or SQL ID.
- B. They instruct the maintenance job to collect missing statistics or perform dynamic sampling to generate a more optimal plan.
- C. They are used to gather only missing statistics.
- D. They are created for a query expression where statistics are missing or the cardinality estimates by the optimizer are incorrect.
- E. They instruct the optimizer to create only column group statistics.
- F. Improve plan accuracy by persisting both compilation and execution statistics in the SYSAUX tablespace.

Correct Answer: BDF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 83

You want to flash back a test database by five hours.

You issue this command:

SQL > FLASHBACK DATABASE TO TIMESTAMP (SYSDATE - 5/24);

Which two statements are true about this flashback scenario? (Choose two.)

- A. The database must have multiplexed redo logs for the flashback to succeed.
- B. The database must be MOUNTED for the flashback to succeed.
- C. The database must use block change tracking for the flashback to succeed.
- D. The database must be opened in restricted mode for the flashback to succeed.
- E. The database must be opened with the RESETLOGS option after the flashback is complete.
- F. The database must be opened in read-only mode to check if the database has been flashed back to the correct SCN.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 84

Examine these two statements:

```
SQL> CREATE BIGFILE TABLESPACE MRKT
      2 DATAFILE '/u01/app/oracle/oradata/orcl/mrkt.dbf' size 10M LOGGING
      3 EXTENT MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO;
```

Tablespace created.

```
SQL> ALTER DATABASE DEFAULT TABLESPACE MRKT;
```

Database altered.

Which three are true about the MRKT tablespace? (Choose three.)

- A. The MRKT tablespace is created as a small file tablespace, because the file size is less than the minimum required for big file files.
- B. The MRKT tablespace may be dropped if it has no contents.
- C. Users who were using the old default tablespace will have their default tablespaces changed to the MRKT tablespace.
- D. No more data files can be added to the tablespace.
- E. The relative file number of the tablespace is not stored in rowids for the table rows that are stored in the MRKT tablespace.

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 85

In your database, you want to ensure that idle sessions that are blocking active are automatically terminated after a specified period of time.

How would you accomplish this?

- A. Setting a metric threshold
- B. Implementing Database Resource Manager
- C. Enabling resumable timeout for user sessions
- D. Decreasing the value of the IDLE_TIME resource limit in the default profile

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:**QUESTION 86**

You Execute the Following command to create a password file in the database server:

```
$ orapwd file = '+DATA/PROD/orapwprod entries = 5 ignorecase = N format = 12'
```

Which two statements are true about the password file? (Choose two.)

- A. It records the usernames and passwords of users when granted the DBA role.
- B. It contains the usernames and passwords of users for whom auditing is enabled.
- C. Is used by Oracle to authenticate users for remote database administration.
- D. It records the usernames and passwords of all users when they are added to the OSDBA or OSOPER operating system groups.
- E. It supports the SYSBACKUP, SYSDG, and SYSKM system privileges.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 87

Identify two situations in which the alert log file is updated.

- A. Running a query on a table returns ORA-600: Internal Error.
- B. Inserting a value into a table returns ORA-01722: invalid number.
- C. Creating a table returns ORA-00955: name us already in used by an existing objects.
- D. Inserting a value into a table returns ORA-00001: unique constraint (SYS.OK_TECHP) violated.
- E. Rebuilding an index using ALTER INDEX . . . REBUILD fails with an ORA-01578: ORACLE data block corrupted (file # 14, block # 50) error.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The alert log is a chronological log of messages and errors, and includes the following items:

*All internal errors (ORA-600), block corruption errors (ORA-1578), and deadlock errors (ORA-60) that occur

* Administrative operations, such as CREATE, ALTER, and DROP statements and STARTUP, SHUTDOWN, and ARCHIVELOG statements

* Messages and errors relating to the functions of shared server and dispatcher processes

* Errors occurring during the automatic refresh of a materialized view

* The values of all initialization parameters that had nondefault values at the time the database and instance start

Note:

* The alert log file (also referred to as the ALERT.LOG) is a chronological log of messages and errors written out by an Oracle Database. Typical messages found in this file is: database startup, shutdown, log switches, space errors, etc. This file should constantly be monitored to detect unexpected messages and corruptions.

QUESTION 88

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You can detach from a data pump export job and reattach later.

- B. Data pump uses parallel execution server processes to implement parallel import.
- C. Data pump import requires the import file to be in a directory owned by the oracle owner.
- D. The master table is the last object to be exported by the data pump.
- E. You can detach from a data pump import job and reattach later.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B: Data Pump can employ multiple worker processes, running in parallel, to increase job performance.

D: For export jobs, the master table records the location of database objects within a dump file set. / Export builds and maintains the master table for the duration of the job. At the end of an export job, the content of the master table is written to a file in the dump file set.

/ For import jobs, the master table is loaded from the dump file set and is used to control the sequence of operations for locating objects that need to be imported into the target database.

QUESTION 89

Examine the query and its output executed in an RDBMS Instance:

```
SQL> SELECT * FROM v$pwfile_users;
```

USERNAME	SYSDB	SYSOP	SYSAS	SYSBA	SYSDBG	SYSKM	CON_ID
SYS	TRUE	TRUE	FALSE	FALSE	FALSE	FALSE	0
C##B_ADMIN	FALSE	FALSE	FALSE	TRUE	FALSE	FALSE	0
C##C_ADMIN	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	0
C##A_ADMIN	FALSE	FALSE	FALSE	FALSE	FALSE	TRUE	0
C##D_ADMIN	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE	0

Which three statements are true about the users (other than sys) in the output? (Choose three.)

- A. The C ## B_ADMIN user can perform all backup and recovery operations using RMAN only.
- B. The C ## C_ADMIN user can perform the data guard operation with Data Guard Broker.
- C. The C ## A_ADMIN user can perform wallet operations.
- D. The C ## D_ADMIN user can perform backup and recovery operations for Automatic Storage Management (ASM).
- E. The C ## B_ADMIN user can perform all backup and recovery operations using RMAN or SQL* Plus.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

B: SYSDBG administrative privilege has ability to perform Data Guard operations (including startup and shutdown) using Data Guard Broker or dgmgri.

D: SYSASM

The new (introduced in 11g) SYSASM role to manage the ASM instance, variable extent sizes to reduce shared pool usage, and the ability of an instance to read from a specific disk of a diskgroup

E (Not A): SYSDBA is like a role in the sense that it is granted, but SYSDBA is a special built-in privilege to

allow the DBA full control over the database

Incorrect:

Not C: SYSKM. SYSKM administrative privilege has ability to perform transparent data encryption wallet operations.

Note:

Use the V\$PWFILERS view to see the users who have been granted administrative privileges.

QUESTION 90

In your Database, the TBS PERCENT USED parameter is set to 60 and the TBS PERCENT FREE parameter is set to 20.

Which two storage-tiering actions might be automated when using information Lifecycle Management (ILM) to automate data movement? (Choose two.)

- A. The movement of all segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED
- B. Setting the target tablespace to read-only
- C. The movement of some segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED
- D. Setting the target tablespace offline
- E. The movement of some blocks to a target tablespace with a lower degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

The value for TBS_PERCENT_USED specifies the percentage of the tablespace quota when a tablespace is considered full. The value for TBS_PERCENT_FREE specifies the targeted free percentage for the tablespace. When the percentage of the tablespace quota reaches the value of TBS_PERCENT_USED, ADO begins to move data so that percent free of the tablespace quota approaches the value of TBS_PERCENT_FREE. This action by ADO is a best effort and not a guarantee.

QUESTION 91

Which three statements are true about Flashback Database? (Choose three.)

- A. Flashback logs are written sequentially, and are archived.
- B. Flashback Database uses a restored control file to recover a database.
- C. The Oracle database automatically creates, deletes, and resides flashback logs in the Fast Recovery Area.
- D. Flashback Database can recover a database to the state that it was in before a reset logs operation.
- E. Flashback Database can recover a data file that was dropped during the span of time of the flashback.
- F. Flashback logs are used to restore to the blocks' before images, and then the redo data may be used to roll forward to the desired flashback time.

Correct Answer: CDF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 92

Which statement is true about Enterprise Manager (EM) express in Oracle Database 12c?

- A. By default, EM express is available for a database after database creation.
- B. You can use EM express to manage multiple databases running on the same server.
- C. You can perform basic administrative tasks for pluggable databases by using the EM express interface.
- D. You cannot start up or shut down a database Instance by using EM express.
- E. You can create and configure pluggable databases by using EM express.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

References:

<http://www.oracle.com/technetwork/database/manageability/emx-intro-1965965.html>

QUESTION 93

Examine the following command;

```
ALTER SYSTEM SET enable_ddl_logging = TRUE;
```

Which statement is true?

- A. Only the data definition language (DDL) commands that resulted in errors are logged in the alert log file.
- B. All DDL commands are logged in the alert log file.
- C. All DDL commands are logged in a different log file that contains DDL statements and their execution dates.
- D. Only DDL commands that resulted in the creation of new segments are logged.
- E. All DDL commands are logged in XML format in the alert directory under the Automatic Diagnostic Repository (ADR) home.

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 94

In which two scenarios do you use SQL* Loader to load data? (Choose two.)

- A. Transform the data while it is being loaded into the database.
- B. Use transparent parallel processing without having to split the external data first.
- C. Load data into multiple tables during the same load statement.
- D. Generate unique sequential key values in specified columns.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 95

You are connected to a pluggable database (PDB) as a common user with DBA privileges.

The STATISTICS_LEVEL parameter is PDB_MODIFIABLE. You execute the following:

```
SQL > ALTER SYSTEM SET STATISTICS_LEVEL = ALL SID = '*' SCOPE = SPFILE;
```

Which is true about the result of this command?

- A. The STATISTICS_LEVEL parameter is set to all whenever this PDB is re-opened.
- B. The STATISTICS_LEVEL parameter is set to ALL whenever any PDB is reopened.
- C. The STATISTICS_LEVEL parameter is set to all whenever the multitenant container database (CDB) is restarted.
- D. Nothing happens; because there is no SPFILE for each PDB, the statement is ignored.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 96

Which two are prerequisites for performing a flashback transaction? (Choose two.)

- A. Flashback Database must be enabled.
- B. Undo retention guarantee for the database must be configured.
- C. EXECUTE privilege on the DBMS_FLASHBACK package must be granted to the user flashing back transaction.
- D. Supplemental logging must be enabled.
- E. Recycle bin must be enabled for the database.
- F. Block change tracking must be enabled for the database.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

Explanation:

References: <http://searchoracle.techtarget.com/tip/How-to-perform-Oracle-Flashback-Transaction-Queries>
https://docs.oracle.com/cd/E11882_01/appdev.112/e41502/adfns_flashback.htm#ADFNS610

QUESTION 97

A database is stored in an Automatic Storage Management (ASM) disk group, disk group, DGROUP1 with SQL:

```
SQL> CREATE DISKGROUP dgroup1 NORMAL REDUNDANCY  
      FAILGROUP controller1 DISK '/devices/disk1', '/devices/diska2'  
      FAILGROUP controller2 DISK '/devices/diskb1', '/devices/diskb2';
```

There is enough free space in the disk group for mirroring to be done.

What happens if the CONTROLLER1 failure group becomes unavailable due to error or for maintenance?

- A. Transactions and queries accessing database objects contained in any tablespace stored in DGROUP1 will fail.

- B. Mirroring of allocation units will be done to ASM disks in the CONTROLLER2 failure group until the CONTROLLER1 for failure group is brought back online.
- C. The data in the CONTROLLER1 failure group is copied to the controller2 failure group and rebalancing is initiated.
- D. ASM does not mirror any data until the controller failure group is brought back online, and newly allocated primary allocation units (AU) are stored in the controller2 failure group, without mirroring.
- E. Transactions accessing database objects contained in any tablespace stored in DGROUP1 will fail but queries will succeed.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 98

On your Oracle 12c database, you Issue the following commands to create indexes

```
SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customers_id, sales_rep_id) INVISIBLE;
```

```
SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON oe.orders (customers_id, sales_rep_id);
```

Which two statements are correct? (Choose two.)

- A. Both the indexes are created; however, only the ORD_COSTOMER index is visible.
- B. The optimizer evaluates index access from both the Indexes before deciding on which index to use for query execution plan.
- C. Only the ORD_CUSTOMER_IX1 index is created.
- D. Only the ORD_CUSTOMER_IX2 index is created.
- E. Both the indexes are updated when a new row is inserted, updated, or deleted In the orders table.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

11G has a new feature called Invisible Indexes. An invisible index is invisible to the optimizer as default. Using this feature we can test a new index without effecting the execution plans of the existing sql statements or we can test the effect of dropping an index without dropping it.

QUESTION 99

Your multitenant container database has three pluggable databases (PDBs): PDB1, PDB2, and PDB3.

Which two RMAN commands may be; used to back up only the PDB1 pluggable database? (Choose two.)

- A. BACKUP PLUGGABLE DATABASE PDB1 while connected to the root container
- B. BACKUP PLUGGABLE DATABASE PDB1 while connected to the PDB1 container
- C. BACKUP DATABASE while connected to the PDB1 container
- D. BACKUP DATABASE while connected to the boot container
- E. BACKUP PLUGGABLE database PDB1 while connected to PDB2

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

To perform operations on a single PDB, you can connect as target either to the root or directly to the PDB.

* (A) If you connect to the root, you must use the PLUGGABLE DATABASE syntax in your RMAN commands. For example, to back up a PDB, you use the BACKUP PLUGGABLE DATABASE command.

* (C) If instead you connect directly to a PDB, you can use the same commands that you would use when connecting to a non-CDB. For example, to back up a PDB, you would use the BACKUP DATABASE command.

References:

QUESTION 100

Identify three benefits of Unified Auditing.

- A. Decreased use of storage to store audit trail rows in the database.
- B. It improves overall auditing performance.
- C. It guarantees zero-loss auditing.
- D. The audit trail cannot be easily modified because it is read-only.
- E. It automatically audits Recovery Manager (RMAN) events.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A: Starting with 12c, Oracle has unified all of the auditing types into one single unit called Unified auditing. You don't have to turn on or off all of the different auditing types individually and as a matter of fact auditing is enabled by default right out of the box. The AUD\$ and FGA\$ tables have been replaced with one single audit trail table. All of the audit data is now stored in Secure Files table thus improving the overall management aspects of audit data itself.

B: Further the audit data can also be buffered solving most of the common performance related problems seen on busy environments.

E: Unified Auditing is able to collect audit data for Fine Grained Audit, RMAN, Data Pump, Label Security, Database Vault and Real Application Security operations.

Note:

* Benefits of the Unified Audit Trail

The benefits of a unified audit trail are many:

/ (B) Overall auditing performance is greatly improved. The default mode that unified audit works is Queued Write mode. In this mode, the audit records are batched in SGA queue and is persisted in a periodic way. Because the audit records are written to SGA queue, there is a significant performance improvement.

/ The unified auditing functionality is always enabled and does not depend on the initialization parameters that were used in previous releases

/ (A) The audit records, including records from the SYS audit trail, for all the audited components of your Oracle Database installation are placed in one location and in one format, rather than your having to look in different places to find audit trails in varying formats. This consolidated view enables auditors to co-relate audit information from different components. For example, if an error occurred during an INSERT statement, standard auditing can indicate the error number and the SQL that was executed. Oracle Database Vault-specific information can indicate whether this error happened because of a command rule violation or realm violation. Note that there will be two audit records with a distinct AUDIT_TYPE. With this unification in place, SYS audit records appear with AUDIT_TYPE set to Standard Audit.

/ The management and security of the audit trail is also improved by having it in single audit trail.

/ You can create named audit policies that enable you to audit the supported components listed at the beginning of this section, as well as SYS administrative users. Furthermore, you can build conditions and exclusions into your policies.

* Oracle Database 12c Unified Auditing enables selective and effective auditing inside the Oracle database using policies and conditions. The new policy based syntax simplifies management of auditing within the database and provides the ability to accelerate auditing based on conditions.

* The new architecture unifies the existing audit trails into a single audit trail, enabling simplified management and increasing the security of audit data generated by the database.

QUESTION 101

You upgraded from a previous Oracle database version to Oracle Database version to Oracle Database 12c. Your database supports a mixed workload. During the day, lots of insert, update, and delete operations are performed. At night, Extract, Transform, Load (ETL) and batch reporting jobs are run. The ETL jobs perform certain database operations using two or more concurrent sessions.

After the upgrade, you notice that the performance of ETL jobs has degraded. To ascertain the cause of performance degradation, you want to collect basic statistics such as the level of parallelism, total database time, and the number of I/O requests for the ETL jobs.

How do you accomplish this?

- A. Examine the Active Session History (ASH) reports for the time period of the ETL or batch reporting runs.
- B. Enable SQL tracing for the queries in the ETL and batch reporting queries and gather diagnostic data from the trace file.
- C. Enable real-time SQL monitoring for ETL jobs and gather diagnostic data from the V\$SQL_MONITOR view.
- D. Enable real-time database operation monitoring using the DBMS_SQL_MONITOR.BEGIN_OPERATION function, and then use the DBMS_SQL_MONITOR.REPORT_SQL_MONITOR function to view the required information.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Monitoring database operations

Real-Time Database Operations Monitoring enables you to monitor long running database tasks such as batch jobs, scheduler jobs, and Extraction, Transformation, and Loading (ETL) jobs as a composite business operation. This feature tracks the progress of SQL and PL/SQL queries associated with the business operation being monitored. As a DBA or developer, you can define business operations for monitoring by explicitly specifying the start and end of the operation or implicitly with tags that identify the operation.

QUESTION 102

Your multitenant container (CDB) contains two pluggable databases (PDB), HR_PDB and ACCOUNTS_PDB, both of which use the CDB tablespace. The temp file is called temp01.tmp.

A user issues a query on a table on one of the PDBs and receives the following error:

ERROR at line 1:

ORA-01565: error in identifying file '/u01/app/oracle/oradata/CDB1/temp01.tmp'

ORA-27037: unable to obtain file status

Identify two ways to rectify the error.

- A. Add a new temp file to the temporary tablespace and drop the temp file that that produced the error.
- B. Shut down the database instance, restore the temp01.tmp file from the backup, and then restart the database.
- C. Take the temporary tablespace offline, recover the missing temp file by applying redo logs, and then bring the temporary tablespace online.
- D. Shutdown the database instance, restore and recover the temp file from the backup, and then open the database with RESETLOGS.
- E. Shut down the database instance and then restart the CDB and PDBs.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* Because temp files cannot be backed up and because no redo is ever generated for them, RMAN never restores or recovers temp files. RMAN does track the names of temp files, but only so that it can automatically re-create them when needed.

* If you use RMAN in a Data Guard environment, then RMAN transparently converts primary control files to standby control files and vice versa. RMAN automatically updates file names for data files, online redo logs, standby redo logs, and temp files when you issue RESTORE and RECOVER.

QUESTION 103

Examine the following commands for redefining a table with Virtual Private Database (VPD) policies:

```
BEGIN
  DBMS_RLS.ADD_POLICY (
    object_schema    => 'hr',
    object_name      => 'employees',
    policy_name      => 'employees_policy',
    function_schema  => 'hr',
    policy_function   => 'auth_emp_dep_100',
    statement_types  => 'select, insert, update, delete'
  );
END;

BEGIN
  DBMS_REDEFINITION.START_REDEF_TABLE (
    uname           => 'hr',
    orig_table      => 'employees',
    int_table       => 'int_employees',
    col_mapping     => NULL,
    options_flag    => DBMS_REDEFINITION.CONSTRAINT_USE_PK,
    orderby_cols    => NULL,
    part_name       => NULL,
    copy_vpd_opt    => DBMS_REDEFINITION.CONSTRAINT_VPD_AUTO);
END;
```

Which two statements are true about redefining the table? (Choose two.)

- A. All the triggers for the table are disabled without changing any of the column names or column types in the

table.

- B. The primary key constraint on the EMPLOYEES table is disabled during redefinition.
- C. VPD policies are copied from the original table to the new table during online redefinition.
- D. You must copy the VPD policies manually from the original table to the new table during online redefinition.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Explanation:

C (not D): CONS_VPD_AUTO

Used to indicate to copy VPD policies automatically

* DBMS_RLS.ADD_POLICY

/ The DBMS_RLS package contains the fine-grained access control administrative interface, which is used to implement Virtual Private Database (VPD).DBMS_RLS is available with the Enterprise Edition only.

Note:

* CONS_USE_PK and CONS_USE_ROWID are constants used as input to the "options_flag" parameter in both the START_REDEF_TABLE Procedure and CAN_REDEF_TABLE Procedure. CONS_USE_ROWID is used to indicate that the redefinition should be done using rowids while CONS_USE_PK implies that the redefinition should be done using primary keys or pseudo-primary keys (which are unique keys with all component columns having NOT NULL constraints).

* DBMS_REDEFINITION.START_REDEF_TABLE

To achieve online redefinition, incrementally maintainable local materialized views are used. These logs keep track of the changes to the master tables and are used by the materialized views during refresh synchronization.

* START_REDEF_TABLE Procedure

Prior to calling this procedure, you must manually create an empty interim table (in the same schema as the table to be redefined) with the desired attributes of the post-redefinition table, and then call this procedure to initiate the redefinition.

QUESTION 104

Which two statements are true about the use of the procedures listed in the v\$sysaux_occupants.move_procedure column? (Choose two.)

- A. The procedure may be used for some components to relocate component data to the SYSAUX tablespace from its current tablespace.
- B. The procedure may be used for some components to relocate component data from the SYSAUX tablespace to another tablespace.
- C. All the components may be moved into SYSAUX tablespace.
- D. All the components may be moved from the SYSAUX tablespace.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 105

Which statement is true about Oracle Net Listener?

- A. It acts as the listening endpoint for the Oracle database instance for all local and non-local user

connections.

- B. A single listener can service only one database instance and multiple remote client connections.
- C. Service registration with the listener is performed by the process monitor (PMON) process of each database instance.
- D. The listener.ora configuration file must be configured with one or more listening protocol addresses to allow remote users to connect to a database instance.
- E. The listener.ora configuration file must be located in the ORACLE_HOME/network/admin directly.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://docs.oracle.com/database/121/CNCPT/process.htm>

QUESTION 106

You are administering a database stored in Automatic Storage Management (ASM). You use RMAN to back up the database and the MD_BACKUP command to back up the ASM metadata regularly. You lost an ASM disk group DG1 due to hardware failure.

In which three ways can you re-create the lost disk group and restore the data? (Choose three.)

- A. Use the MD_RESTORE command to restore metadata for an existing disk group by passing the existing disk group name as an input parameter and use RMAN to restore the data.
- B. Use the MKDGM command to restore the disk group with the same configuration as the backed-up disk group and data on the disk group.
- C. Use the MD_RESTORE command to restore the disk group with the changed disk group specification, failure group specification, name, and other attributes and use RMAN to restore the data.
- D. Use the MKDGM command to restore the disk group with the same configuration as the backed-up disk group name and same set of disks and failure group configuration, and use RMAN to restore the data.
- E. Use the MD_RESTORE command to restore both the metadata and data for the failed disk group.
- F. Use the MKDGM command to add a new disk group DG1 with the same or different specifications for failure group and other attributes and use RMAN to restore the data.

Correct Answer: ACF

Section: (none)

Explanation

Explanation/Reference:

Explanation:

AC (not E):

The md_restore command allows you to restore a disk group from the metadata created by the md_backup command.

md_restore can't restore data, only metadata.

QUESTION 107

Your multitenant container database, CDB1, is running in ARCHIVELOG mode and has two pluggable databases, HR_PDB and ACCOUNTS_PDB. An RMAN backup exists for the database.

You issue the command to open ACCOUNTS_PDB and find that the USERDATA.DBF data file for the default permanent tablespace USERDATA belonging to ACCOUNTS_PDB is corrupted.

What should you do before executing the commands to restore and recover the data file in ACCOUNTS_PDB?

- A. Place CDB1 in the mount stage and then the USERDATA tablespace offline in ACCOUNTS_PDB.

- B. Place CDB1 in the mount stage and issue the ALTER PLUGGABLE DATABASE accounts_pdb CLOSE IMMEDIATE command.
- C. Issue the ALTER PLUGGABLE DATABASE accounts_pdb RESTRICTED command.
- D. Take the USERDATA tablespace offline in ACCOUNTS_PDB.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

* You can take an online tablespace offline so that it is temporarily unavailable for general use. The rest of the database remains open and available for users to access data. Conversely, you can bring an offline tablespace online to make the schema objects within the tablespace available to database users. The database must be open to alter the availability of a tablespace.

QUESTION 108

Which Oracle Database component is audited by default if the unified Auditing option is enabled?

- A. Oracle Data Pump
- B. Oracle Recovery Manager (RMAN)
- C. Oracle Label Security
- D. Oracle Database Vault
- E. Oracle Real Application Security

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

QUESTION 109

Your multitenant container (CDB) containing three pluggable databases (PDBs) is running in ARCHIVELOG mode. You find that the SYSAUX tablespace is corrupted in the root container.

The steps to recover the tablespace are as follows:

1. Mount the CDB.
2. Close all the PDBs.
3. Open the database.
4. Apply the archive redo logs.
5. Restore the data file.
6. Take the SYSAUX tablespace offline.
7. Place the SYSAUX tablespace online.
8. Open all the PDBs with RESETLOGS.
9. Open the database with RESETLOGS.
10. Execute the command SHUTDOWN ABORT.

Which option identifies the correct sequence to recover the SYSAUX tablespace?

- A. 6, 5, 4, 7
- B. 10, 1, 2, 5, 8
- C. 10, 1, 2, 5, 4, 9, 8
- D. 10, 1, 5, 8, 10

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

```
RMAN> ALTER TABLESPACE sysaux OFFLINE IMMEDIATE;
```

```
RMAN> RESTORE TABLESPACE sysaux;
```

```
RMAN> RECOVER TABLESPACE sysaux;
```

```
RMAN> ALTER TABLESPACE sysaux ONLINE;
```

* Example:

While evaluating the 12c beta3 I was not able to do the recover while testing "all pdb files lost".

Cannot close the pdb as the system datafile was missing...

So only option to recover was:

Shutdown cdb (10)

startup mount; (1)

restore pluggable database

recover pluggable database

alter database open;

alter pluggable database name open;

Oracle support says: You should be able to close the pdb and restore/recover the system tablespace of PDB.

* Inconsistent backups are usually created by taking online database backups. You can also make an inconsistent backup by backing up data files while a database is closed, either:

/ Immediately after the crash of an Oracle instance (or, in an Oracle RAC configuration, all instances)

/ After shutting down the database using SHUTDOWN ABORT

Inconsistent backups are only useful if the database is in ARCHIVELOG mode and all archived redo logs created since the backup are available.

* Open the database with the RESETLOGS option after finishing recovery:

```
SQL> ALTER DATABASE OPEN RESETLOGS;
```

QUESTION 110

What should you do to ensure that a job stores minimal job metadata and runtime data on disk, and uses only existing PL/SQL programs?

- A. Create an event-based job.
- B. Create a lightweight job.
- C. Specify the job as a member of a job class.
- D. Use a job array.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schedover004.htm#BGBJGHBH

QUESTION 111

You plan to install the Oracle Database 12c software on a new server. The database will use Automatic Storage Management (ASM) and Oracle Restart. Oracle Grid Infrastructure for a standalone server is already installed on the server.

You want to configure job role separation. You create the following operating system users and groups:

- The user `oracle` as the owner of the Oracle database installation
- The user `grid` as the owner of Oracle Grid Infrastructure
- The group `oinstall` as an Oracle Inventory group

- The group `dba` as the `OSDBA` group for Oracle database
- The group `asmdba` as the `OSDBA` group for Oracle ASM
- The group `asmadmin` as the administration privileges group for Oracle ASM
- The group `asmoper` as the group for Oracle ASM

Which two additional tasks should you perform with regard to the OS-level owners and groups? (Choose two.)

- A. creating a separate central inventory group for the Oracle Database 12c installation
- B. assigning `oinstall` as the primary group for the `oracle` user
- C. assigning `asmadmin` and `asmoper` as primary groups for the `oracle` user
- D. creating OS groups associated with the `OSBACKUPDBA`, `OSDGDBA`, and `OSKMDBA` system privileges
- E. assigning `asmdba` as the secondary group for the `oracle` user

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 112

Examine the parameters for a database instance:

NAME	TYPE	VALUE
temp_undo_enabled	boolean	TRUE
undo_management	string	AUTO
undo_retention	integer	900
undo_tablespace	string	UNDOTBS1

Your database has three undo tablespaces and the default undo tablespace is not autoextensible. Resumable space allocation is not enabled for any sessions in the database instance.

What is the effect on new transactions when all undo space in the default undo tablespace is in use by active transactions?

- A. Transactions write their undo in the `SYSTEM` undo segment.
- B. Transactions fail.
- C. Transactions wait until space becomes available in `UNDOTBS1`.
- D. Transactions write their undo in a temporary tablespace.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/B19306_01/server.102/b14231/undo.htm (undo retention)

QUESTION 113

The `DEFERRED_SEGMENT_CREATION` parameter is set to `TRUE` in your database instance.

You execute the following command to create a table:


```
SQL> CREATE TABLE acct1
      (ac_no NUMBER,
       ac_desc varchar2(25),
       amount number(10,2));
```

Which two statements are true? (Choose two.)

- A. The table is created without a segment because the storage clause is missing.
- B. A segment is allocated when the first row is inserted in the table.
- C. A segment is allocated when an index is created for any column in the table.
- D. The table is created and extents are immediately allocated as per the default storage defined for its tablespace.
- E. A segment is allocated for the table if the ALTER TABLE... ALLOCATE EXTENT command is issued.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 114

Which three statements are true about automated maintenance tasks? (Choose three.)

- A. They run at predefined time intervals that are intended to occur during a period of low system load.
- B. An Oracle Scheduler job is created for each maintenance task that is scheduled to run in a maintenance window.
- C. A maintenance window is automatically extended until all the maintenance tasks defined are completed.
- D. A repository is maintained in the SYSTEM tablespace to store the history of execution of all tasks.
- E. Predefined maintenance tasks consist of automatic optimizer statistics collection, running Automatic Segment Advisor, and running Automatic SQL Tuning Advisor.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/E11882_01/server.112/e25494/tasks.htm#ADMIN12331

QUESTION 115

You want to reduce fragmentation and reclaim unused space for the SALES table but not its dependent objects.

During this operation, you want to ensure the following:

- Long-running queries are not affected.
- No extra space is used.
- Data manipulation language (DML) operations on the table succeed at all times throughout the process.
- Unused space is reclaimed both above and below the high water mark.

Which ALTER TABLE option would you recommend?

- A. DEALLOCATE UNUSED
- B. SHRINK SPACE CASCADE
- C. SHRINK SPACE COMPACT
- D. ROW STORE COMPRESS BASIC

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema003.htm

QUESTION 116

Examine the parameters for a database instance:

NAME	TYPE	VALUE
temp_undo_enabled	boolean	TRUE
undo_management	string	AUTO
undo_retention	integer	900
undo_tablespace	string	UNDOTBS1

Which two statements are true? (Choose two.)

- A. Undo records for temporary tables are stored in a temporary tablespace.
- B. Undo records for temporary tables are stored in the undo tablespace and logged in the redo.
- C. Undo records for temporary tables are stored in the undo tablespace and logged in the redo only for those sessions where temporary undo is enabled.
- D. No redo is generated for the undo records belonging to temporary tables.
- E. No redo and undo records are generated for temporary tables.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 117

You set the following parameters in the parameter file and restart the database instance:

```
MEMORY_TARGET=500M
PGA_AGGREGATE_TARGET=90M
SGA_TARGET=270M
```

Which two statements are true? (Choose two.)

- A. The MEMORY_MAX_TARGET parameter is automatically set to 500 MB.
- B. The PGA_AGGREGATE_TARGET and SGA_TARGET parameters are automatically set to zero.
- C. The value of the MEMORY_MAX_TARGET parameter remains zero for the database instance.
- D. The lower limits of the PGA_AGGREGATE_TARGET and SGA_TARGET parameters are set to 90 MB and 270 MB respectively.
- E. The instance does not start up because Automatic Memory Management (AMM) is enabled but PGA_AGGREGATE_TARGET and SGA_TARGET parameters are set to nonzero values.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 118

Which three statements are true about the purpose of checkpoints? (Choose three.)

- A. They ensure that uncommitted transactions are rolled back in case of an instance failure.
- B. They ensure that all the dirty buffers are written to disk during a normal shutdown.
- C. They ensure that instance recovery starts in the event of an instance failure.
- D. They ensure that dirty buffers in the buffer cache are written to disk regularly.
- E. They reduce the time required for recovery in case of an instance failure.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

References: http://docs.oracle.com/cd/E36909_01/server.1111/e25789/startup.htm#BABGDACG

QUESTION 119

Your database is configured in ARCHIVELOG mode.

Examine the RMAN configuration parameters:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE CONTROLFILE AUTOBACKUP OFF; # default
CONFIGURE DEVICE TYPE DISK PARALLELISM 1 BACKUP TYPE TO BACKUPSET;
CONFIGURE ARCHIVELOG BACKUP COPIES FOR DEVICE TYPE DISK TO 1; # default
```

Examine the command:

```
RMAN> BACKUP DATABASE PLUS ARCHIVELOG DELETE INPUT;
```

What is the outcome?

- A. It fails because the `DELETE INPUT` option can be used only with the `BACKUP AS BACKUPSET` command.
- B. It executes successfully and creates a backup set of the database along with archived log files and then deletes the original archived log files.
- C. It executes successfully and creates an image copy of the database along with archive log files and then deletes the original archived log files.
- D. It fails because the `DELETE INPUT` option can be used only with the `BACKUP AS COPY` command.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B13789_01/server.101/b10734/rcmbackp.htm

QUESTION 120

Your production database uses file system storage. You want to move storage to Oracle Automatic Storage Management (ASM).

How would you achieve this?

- A. by using a transportable database
- B. by using the Database Upgrade Assistant (DBUA)

- C. by using Data Pump
- D. by using RMAN

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

References: http://docs.oracle.com/cd/E11882_01/server.112/e18951.pdf (p.184)

QUESTION 121

The HR user executes the following query on the EMPLOYEES table but does not issue COMMIT, ROLLBACK, or any data definition language (DDL) command after that:

```
SQL> SELECT job
      FROM employees
      WHERE job='CLERK' FOR UPDATE OF empno;
```

HR then opens a second session.

Which two operations wait when executed in HR's second session? (Choose two.)

- A. LOCK TABLE employees IN EXCLUSIVE MODE;
- B. INSERT INTO employees(empno,ename) VALUES (1289, 'Dick');
- C. SELECT job FROM employees WHERE job='CLERK' FOR UPDATE OF empno;
- D. SELECT empno,ename FROM employees WHERE job='CLERK';
- E. INSERT INTO employees(empno,ename,job) VALUES (2001,'Harry','CLERK');

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 122

In your Oracle 12c database, you plan to execute the command:

```
SQL> CREATE TABLESPACE tbs1 DATAFILE '/u02/oracle/data/tbs01.dbf' SIZE 50M;
```

The u02 file system has 1 GB of free space available.

What is the outcome?

- A. It creates a locally managed tablespace with manual segment space management enabled.
- B. It raises an error because extent management is not specified.
- C. It creates a locally managed tablespace with automatic segment space management enabled.
- D. It creates a dictionary-managed tablespace with manual segment space management enabled.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/tspaces002.htm#ADMIN11359

QUESTION 123

In your database, USERS is the default permanent tablespace.

Examine the commands and their outcome:

```
SQL> CREATE USER user02 identified by us123 QUOTA 10M ON users;  
User created.
```

```
SQL> GRANT create session, sysdba TO user02;  
Grant succeeded.
```

You plan to execute the commands:

```
SQL> CONN user02/us123 AS SYSDBA  
SQL> CREATE TABLE mytab (id number, lname varchar2(20));
```

Which two statements are true? (Choose two.)

- A. The MYTAB table is created in the SYSTEM tablespace but no rows can be inserted into the table by USER02.
- B. The MYTAB table is created in the SYSTEM tablespace and rows can be inserted into the table by USER02.
- C. The MYTAB table is created in the USERS tablespace but no rows can be inserted into the table by USER02.
- D. The CREATE TABLE statement generates an error because the SYSDBA privilege does not provide any space quota on the SYSTEM tablespace by default.
- E. The MYTAB table is owned by the SYS user.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 124

You use multiple temporary tables frequently in your database. Which two are benefits of configuring temporary undo? (Choose two.)

- A. Performance improves because less redo is written to the redo log.
- B. Temporary undo reduces the amount of undo stored in undo tablespaces.
- C. Performance improves because data manipulation language (DML) operations performed on temporary tables do not use the buffer cache.
- D. Performance improves because no redo and undo are generated for the temporary tables.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 125

Which three statements are true about the Pre-Upgrade Information Tool? (Choose three.)

- A. It generates a script to recompile invalid objects post-upgrade.
- B. The `preupgrade_fixups.sql` script is created to list and describe issues in the source database.
- C. A log file, `preupgrade.log`, is created that contains the output of the Pre-Upgrade Information tool.
- D. It checks for required tablespaces and if they are not available, creates them automatically.
- E. The `preupgrade_fixups.sql` script is executed automatically to fix issues in the source database.
- F. The `postupgrade_fixups.sql` script is created to address issues that can be fixed after a database has been upgraded.

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

References <https://docs.oracle.com/database/122/UPGRD/using-preupgrade-information-tool-for-oracle-database.htm#UPGRD-GUID-C0219AF1-AD43-4097-B358-E53E48958647>

QUESTION 126

Which activity is audited by default and recorded in the operating system audit trail irrespective of whether or not database auditing is enabled?

- A. execution of SQL statements by users connected with the `SYSDBA` privilege
- B. creation of a fine-grained audit policy
- C. configuration of unified auditing mode
- D. usage of the `AUDIT` statement

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/B28359_01/network.111/b28531/auditing.htm#DBSEG0622

QUESTION 127

You want to create a role that:

- is protected from unauthorized usage
- does not use a password embedded in the application source code or stored in a table
- is enabled for a user based on security policies defined in a PL/SQL package

How would you create this role?

- A. as a secure application role
- B. with definer's rights
- C. with global authentication
- D. with external authentication

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/network.111/b28531/authorization.htm#DBSEG97973

QUESTION 128

You perform RMAN backups for your database and use a recovery catalog for managing the backups. To free space, you execute this command:

```
RMAN> DELETE OBSOLETE;
```

Which three statements are true in this scenario? (Choose three.)

- A. The backup sets marked as expired are deleted.
- B. The information related to the backups is removed from the recovery catalog and the control file.
- C. The physical files related to the backup need to be manually deleted.
- D. The physical files related to the backup are deleted automatically.
- E. The backups deleted are based on the backup retention policy.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 129

Your database instance is started by using a server parameter file (SPFILE). You execute the following command to change the value of the `LOG_BUFFER` initialization parameter:

```
ALTER SYSTEM SET LOG_BUFFER=32 M;
```

What is the outcome of this command?

- A. The parameter value is changed and it comes into effect as soon as space becomes available in the SGA.
- B. It returns an error because the value of this parameter cannot be changed dynamically.
- C. The parameter value is changed and it comes into effect at the next instance startup.
- D. It returns an error because `SCOPE` should be set to `MEMORY`.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 130

You want to create a database and you have the following:

- Oracle Grid Infrastructure is installed and configured.
- Oracle Database Vault is installed in `ORACLE_HOME` to be used for this database.
- Oracle Enterprise Manager Cloud Control is available and an agent is deployed on the database server.

Examine the requirements:

1. configuring the database instance to support shared server mode
2. using Automatic Storage Management (ASM) for storing database files.
3. configuring a naming method to help a remote user connect to a database instance
4. configuring the Fast Recovery Area
5. configuring Database Vault
6. configuring Enterprise Manager (EM) Database Express
7. registering with EM Cloud Control
8. configuring remote log archive destinations
9. enabling daily incremental backups
10. configuring a nondefault block size for nondefault block size tablespaces

Which of these requirements can be met while creating a database by using the Database Configuration

Assistant (DBCA)?

- A. 1, 2, 4, 5, 7, 8, 9 and 10
- B. 1, 2, 4, 5, 6 and 7
- C. 1, 2, 3, 8, 9 and 10
- D. 1, 2, 3, 4, 6, 8, 9 and 10
- E. 1, 2, 4, 5, 6, 7 and 8

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 131

You want execution of large database operations to suspend, and then resume, in the event of space allocation failures.

You set the value of the initialization parameter `RESUMABLE_TIMEOUT` to 3600.

Which two statements are true? (Choose two.)

- A. Before a statement executes in resumable mode, the `ALTER SESSION ENABLE RESUMABLE` statement must be issued in its session.
- B. Data Manipulation Language (DML) operations are resumable, provided that they are not embedded in a PL/SQL block.
- C. A resumable statement can be suspended and resumed only once during execution.
- D. A suspended statement will report an error if no corrective action has taken place during a timeout period.
- E. Suspending a statement automatically results in suspending a transaction and releasing all the resources held by the transaction.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 132

Which two statements are true about Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It calls SQL advisors automatically if required.
- B. It provides recommendations only for poorly performing SQL statements.
- C. Its results are stored in AWR.
- D. It runs automatically after each AWR snapshot is created and requires at least two snapshots for analysis.
- E. It requires at least one Automatic Workload Repository (AWR) snapshot for analysis.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 133

Which statement is true about using the Database Upgrade Assistant (DBUA) to upgrade your database from Oracle Database 11g to Oracle Database 12c?

- A. It terminates if the SYSTEM tablespace in the source database is not autoextensible.
- B. It automatically makes necessary changes to Oracle environment variables.
- C. It automatically enables unified auditing in the upgraded database.
- D. It automatically adds new data files if there is not enough disk space to grow.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E18283_01/server.112/e17222/upgrade.htm#insertedID5

QUESTION 134

Identify two prerequisites for configuring Enterprise Manager Database Express (EM Express).

- A. Grant the APEX_PUBLIC_USER role to the SYSMAN user.
- B. Use the DBMS_XDB_CONFIG.SETHTTPPORT procedure to configure a port number for Oracle HTTP Server.
- C. Install Oracle HTTP Server.
- D. Configure at least one dispatcher for the TCP/IP protocol.
- E. Create a SYSMAN user with the SYSDBA privilege as an administrator for EM Express.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 135

Your production database PROD uses file system storage. You want to migrate storage including the Fast Recovery Area for the PROD database to Oracle Automatic Storage Management (ASM) by using RMAN. You back up the entire database.

What should the next step be in this migration process?

- A. enabling row movement for the database
- B. disabling Oracle Flashback Database if enabled
- C. opening the database in exclusive mode
- D. placing all tablespaces in read-only mode

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E11882_01/server.112/e18951/asm_rman.htm#OSTMG89995

QUESTION 136

Your database supports a Decision Support System (DSS) workload that involves the execution of complex queries. Currently, the database is running with peak workload. You want to analyze some of the most resource-intensive statements cached in the library cache.

What must you run to receive recommendations on the efficient use of indexes and materialized views to improve query performance?

- A. Automatic Database Diagnostic Monitor (ADDM)
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository (AWR) report

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28314/tdpdw_perform.htm#TDPDW00813

QUESTION 137

In which situations does the Database Writer process (DBWn) write to data files? (choose two).

- A. when the RMAN recovery process starts
- B. when a user process commits a transaction
- C. when a tablespace is made read-only or taken offline
- D. when PMON cleans up dirty buffers in the database buffer cache
- E. when clean buffers for reading new blocks into the database buffer cache are not found easily

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/B19306_01/server.102/b14220/process.htm

QUESTION 138

Which two statements are true about availability audit features after migration to unified auditing? (Choose two.)

- A. The ability of users to audit their own schema objects is not available in the post-migrated database.
- B. Operating system audit trail is available in the post-migrated database.
- C. Network auditing is available in the post-migrated database.
- D. Mandatory auditing of audit administrative actions is available in the post-migrated database.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/database/121/DBSEG/audit_changes.htm#DBSEG341

QUESTION 139

Which three statements are true about Database Resource Manager? (Choose three.)

- A. A resource plan change can be automated by using the Oracle Scheduler.
- B. It can be used to control the consumption of only physical I/Os where excessive physical I/Os can trigger an automatic session termination but excessive logical I/Os cannot.
- C. It can be used to control the usage of the undo tablespace by consumer groups.

- D. A resource plan can have multiple resource plan directives, each of which controls resource allocation for a different consumer group.
- E. It can be used to enable resumable timeout for user sessions.
- F. It can be used to control the usage of the temp tablespace by consumer groups.

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 140

Which two statements describe the relationship between a scheduler window, a resource manager plan, and a job class? (Choose two.)

- A. A scheduler window together with a job class, controls resource allocation for a job using that job class in that scheduler window.
- B. A job class specifies a scheduler window that will be open when that job class becomes active.
- C. A scheduler window specifies a resource manager plan that will be activated when that scheduler window becomes active.
- D. A scheduler window specifies a job class that will be activated when that scheduler window becomes active.
- E. A scheduler window can control resource allocation by itself.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 141

What is the effect of setting the `STATISTICS_LEVEL` initialization parameter to `BASIC`?

- A. Optimizer statistics are collected automatically.
- B. Only timed operating system (OS) statistics and plan execution statistics are collected.
- C. Automatic Workload Repository (AWR) snapshots are not generated automatically.
- D. The Oracle server dynamically generates the necessary object-level statistics on tables as part of query optimization.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28320/initparams240.htm#REFRN10214

QUESTION 142

Your database is configured in `ARCHIVELOG` mode, and daily full database backups are taken. RMAN is configured to perform control file autobackups.

Which statement is true about the loss of a duplexed control file?

- A. The database remains open but transactions are not permitted.
- B. The database instance aborts, and media recovery is required after restoration of the control file to open the database.

- C. The database instance remains open and the control file can be restored without shutting down the database.
- D. The database instance aborts and a control file restore operation does not require media recovery.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 143

Examine the parameter settings in your local ORCL database:

```
DB_DOMAIN=us.example.com
DB_NAME=orcl
REMOTE_OS_AUTHENT=TRUE
GLOBAL_NAMES=TRUE
```

Examine the parameter settings for the remote SALES database:

```
DB_DOMAIN=hq.example.com
DB_NAME=sales
REMOTE_OS_AUTHENT=TRUE
GLOBAL_NAMES=TRUE
```

As the SYS user, you issue the following command on ORCL:

```
CREATE PUBLIC DATABASE LINK sales.us.example.com USING 'sales1';
```

The sales1 tnsnames entry points to the sales database instance.

Which two are requirements to ensure that you can successfully connect by using this database link? (Choose two.)

- A. The GLOBAL_NAMES initialization parameter should be set to FALSE in the ORCL database.
- B. The SALES1 net service name should be known to both the local and remote databases.
- C. Local database users who use this database link should have accounts and the required privileges in the remote database.
- D. The REMOTE_OS_AUTHENT initialization parameter should be set to FALSE in the remote database.
- E. Only the user creating the database link must have an account and the required privileges in the remote database.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 144

Which three are activities performed by SMON? (Choose three.)

- A. cleaning up the database buffer cache and freeing resources that a client process was using

- B. applying online redo during instance recovery
- C. cleaning up temporary segments that are no longer needed
- D. performing database services registration with the default listener
- E. restarting a server or a dispatcher process that terminated abnormally
- F. recovering failed transactions that were skipped during instance recovery because of file-read or tablespace offline errors

Correct Answer: BCF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 145

You are administering a database that supports an OLTP workload.

The default `UNDO` tablespace is a fixed size tablespace with the `RETENTION NOGUARANTEE` clause and undo retention set to 12 minutes.

The user `SCOTT` queries a large table during peak activity.

The query runs for more than 15 minutes and then `SCOTT` receives the following error:

```
ORA-01555: snapshot too old
```

Which is possible reason for this?

- A. The Oracle server is unable to generate a read-consistent image for a block containing updates committed after the query began.
- B. The query is unable to place data blocks in the `UNDO` tablespace.
- C. The flashback data archive is not enabled for the table on which the query is issued.
- D. There is not enough space in Fast Recovery Area.
- E. The Oracle server is unable to generate a read-consistent image for a block containing uncommitted updates.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 146

Which two categories of segments are analyzed by the Automatic Segment Advisor? (Choose two.)

- A. segments in tablespaces that have exceeded a critical or warning space threshold
- B. segments that have the highest growth rate in a database
- C. segments that are sparsely populated and have more than 10% of free space below the high water mark.
- D. segments that have unusable indexes
- E. segments for tables created using `ADVANCED ROW COMPRESSION`

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

References: http://www.dba-oracle.com/t_segment_advisor_10g.htm

QUESTION 147

Automatic Shared Memory Management (ASMM) is enabled for your database instance. You execute the following command:

```
SQL> ALTER SYSTEM SET DB_CACHE_SIZE = 100M;
```

Which statement is true?

- A. It succeeds and the minimum size for the DEFAULT buffer pool is set to 100M.
- B. It fails because DB_CACHE_SIZE is a static initialization parameter.
- C. It fails because ASMM is enabled and individual SGA components cannot be sized.
- D. It succeeds and the value is changed in the SPFILE immediately, but the change takes effect only at the next instance startup.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 148

A user establishes a connection to a database instance by using an Oracle Net.

You want to ensure that:

- 1. The user account must be locked after five consecutive unsuccessful login attempts.
- 2. Data read per session must be limited for the user.
- 3. The user cannot have more than three simultaneous sessions.
- 4. The user must have a maximum of 10 minutes session idle time before being logged off automatically.

Which two would you do to implement this? (Choose two.)

- A. by alerting the appropriate user attributes with an ALTER USER command
- B. by using appropriate PASSWORD parameters set in the profile assigned to the user
- C. by implementing Database Resource Manager and assign it a profile for the user
- D. by implementing Database Resource Manager and assign it a role for the user
- E. by using appropriate KERNEL parameters set in the profile assigned to the user

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 149

Which two statements are true about SQL *Loader Express Mode in an Oracle 12c database? (Choose two.)

- A. The DEGREE_OF_PARALLELISM parameter is set to AUTO.
- B. You cannot have multiple SQL *Loader data files.
- C. If no data file is specified, it assumes the data file to be <table-name>.dat in the current directory and

uses it.

- D. You can have multiple bad files created when loading in parallel.
- E. You can selectively load rows into a table based on a filter.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

References: <https://docs.oracle.com/database/121/SUTIL/GUID-0F35B551-861B-450D-8BF3-2312893A67D7.htm#SUTIL3951>

QUESTION 150

You install "Oracle Grid Infrastructure for a standalone server" on a host on which the ORCL1 and ORCL2 databases both have their instances running.

Which two statements are true? (Choose two.)

- A. All databases subsequently created by using the Database Configuration Assistant (DBCA) are automatically added to the Oracle Restart configuration.
- B. The `srvctl add database` command must be used to add ORCL1 and ORCL2 to the ORACLE Restart configuration.
- C. Both ORCL1 and ORCL2 are automatically added to the Oracle Restart configuration.
- D. All database listeners running from the database home are automatically added to the Oracle Restart configuration.
- E. The `crsctl start has` command must be used to start software services for Oracle Automatic Storage Management (ASM) after the "Oracle Grid Infrastructure for a standalone server" installation is complete.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 151

Which statement is true about unified auditing?

- A. The unified audit trail, by default, resides in a read-only table in the AUDSYS schema in the SYSAUX tablespace.
- B. Only the CREATE, ALTER, and DROP statements are audited for all users, including SYS.
- C. Unified auditing is enabled only if the AUDIT_TRAIL parameter is set to NONE.
- D. The unified audit trail contains audit records only from unified audit policies and AUDIT settings.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/database/121/DBSEG/audit_admin.htm#DBSEG370

QUESTION 152

Which two statements are true about Oracle network connections? (Choose two.)

- A. A listener may listen on behalf of only one database instance at a time.

- B. A server process checks a user's authentication credentials and creates a session if the credentials are valid.
- C. The listener continuously monitors a connection after the user process connects to a service handler.
- D. The listener always spawns a new server process to deal with each new connection.
- E. A connection request from a client is always first received by a listener running on the port that is used for the connection request for the database server.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 153

Which two options can be configured for an existing database by using the Database Configuration Assistant (DBCA)? (Choose two.)

- A. Configure Label Security
- B. Database Vault in `ORACLE_HOME`
- C. Oracle Suggested Backup Strategy
- D. Database Resident Connection Pooling
- E. Nondefault blocksize tablespaces

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 154

You want to create a database with a block size other than the default 8 kilobytes (KB) by using the Database Configuration Assistant (DBCA).

Which option should you use?

- A. Automatic Storage Management (ASM) for storage of data files
- B. a file system for storage of data files
- C. a Data Warehouse database template
- D. a custom database template

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 155

Which two statements are true about using SQL*Loader? (Choose two.)

- A. It can load data from external files by using the direct path only.
- B. It can load data into multiple tables using the same load statement.
- C. It can load data into only one table at a time.

- D. It can generate unique sequential key values in specified columns.
- E. It can load data from external files by using the conventional path only.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 156

The HR user owns the BONUSES table. HR grants privileges to the user TOM by using the command:

```
SQL> GRANT SELECT ON bonuses TO tom WITH GRANT OPTION;
```

TOM then executes this command to grant privileges to the user JIM:

```
SQL> GRANT SELET ON hr.bonuses TO jim;
```

Which statement is true?

- A. TOM cannot revoke the SELECT ON HR.BONUSES privilege from JIM.
- B. HR can revoke the SELECT ON HR.BONUSES privilege from JIM.
- C. JIM can grant the SELECT ON HR.BONUSES privilege to other users, but cannot revoke the privilege from them.
- D. HR can revoke the SELECT ON HR.BONUSES privilege from TOM, which will automatically revoke the SELECT ON HR.BONUSES privilege from JIM.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 157

Your database is running in NOARCHIVLOG mode.

Examine the following parameters:

Name	Type	Value
log_archive_dest	string	
log_archive_dest_1	string	
db_recovery_file_dest	string	/u01/app/oracle/fast_recovery_area

You execute the following command after performing a STARTUP MOUNT:

```
SQL> ALTER DATABASE ARCHIVELOG;
```

Which statement is true about the execution of the command?

- A. It executes successfully and sets the Fast Recovery Area as the local archive destination.
- B. It executes successfully and issues a warning to set LOG_ARCHIVE_DEST while opening the database.
- C. It fails and returns an error about LOG_ARCHIVE_DEST not being set.

D. It executes successfully and sets `$ORACLE_HOME/dbs` as the default archive destination.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 158

Which set of statements is true about data dictionary views?

1. They are stored in the `SYSTEM` tablespace.
2. They are based on virtual tables.
3. They are owned by the `SYS` user.
4. They can be queried by a normal user only if the `07_DICTIONARY_ACCESSIBILITY` parameter is set to `TRUE`.
5. The `V$FIXED_TABLE` view can be queried to list the names of these views.
6. They are owned by the `SYSTEM` user.

- A. 2, 5, and 6
B. 1, 2, and 3
C. 1 and 3
D. 2, 3, 4, and 5

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E11882_01/server.112/e40540/datadict.htm#CNCPT002

QUESTION 159

What is the benefit of running the `catctl.pl` script during an upgrade of a pre-12c database to an Oracle 12c database?

- A. It provides a summary of the upgrade results.
B. It recompiles all invalid PL/SQL and Java code.
C. It generates a log file containing the fixes that can be made to the source database.
D. It provides parallel upgrade options to finish the upgrade process with a reduced down time.
E. It generates fix-up scripts to be run on the source database before upgrade.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

References: <https://docs.oracle.com/database/121/UPGRD/upgrade.htm#UPGRD52860>

QUESTION 160

Which statement is true about redo log files during instance recovery?

- A. All current, online, and archived redo logs are required to complete instance recovery.
B. All redo log entries in the current and active logs are applied to data files to reconstruct changes made after the most recent checkpoint.

- C. All redo log entries in the current log are applied to data files until the checkpoint position is reached.
- D. All current, active, and inactive redo logs are required to complete instance recovery.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/A58617_01/server.804/a58396/ch2.htm

QUESTION 161

A database uses Automatic Storage Management (ASM) as database storage, which has a diskgroup, DATA1, which is created as follows:

```
SQL> CREATE DISKGROUP data1 NORMAL REDUNDANCY  
      FAILGROUP failgrp1 DISK '/dev/sda1', '/dev/sda2'  
      FAILGROUP failgrp2 DISK '/dev/sda3', '/dev/sda4';
```

What happens when the FAILGRP1 failure group is corrupted?

- A. Mirroring of allocation units occurs within the FAILGRP2 failure group.
- B. Transactions that are using the diskgroup fail.
- C. ASM does not mirror any data and newly allocated primary allocation units (AU) are stored in the FAILGRP2 failure group.
- D. Data in the FAILGRP1 failure group is moved to the FAILGRP2 failure group and rebalancing is started.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 162

Your database is running in ARCHIVELOG mode. You want to take a consistent whole database backup.

Which two statements are true in this scenario? (Choose two.)

- A. The user-managed backup consists of only formatted data blocks.
- B. The database must be shut down to take a user-managed backup.
- C. The RMAN backup contains only data files.
- D. The RMAN backup can be performed while the database is open.
- E. The database must be in MOUNT state to take RMAN backup.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 163

Your database is configured for ARCHIVELOG mode, and a daily full database backup is taken. RMAN is configured to perform control file autobackup.

In which three scenarios do you need media recovery? (Choose three.)

- A. loss of all the copies of the control file
- B. loss of all the inactive online redo log group members
- C. loss of a data file that belongs to the active undo tablespace
- D. loss of data files that belong to the `SYSTEM` tablespace
- E. logical corruption of data that is caused by a wrong transaction
- F. abnormal termination of the database instance

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 164

You plan to install the Oracle Database 12c software. You want to use Oracle Automatic Storage Management (ASM) for storage and Oracle Restart for managing components. Oracle Grid Infrastructure for a Standalone Server is already installed on the server.

Which three statements must be true for successful installation of the Oracle Database 12c software? (Choose three.)

- A. The `OSBACKUPDBA`, `OSDGDBA`, and `OSKMDBA` OS groups must be created.
- B. An operating system `OSDBA` group must be created for users with the `SYSDBA` system privilege.
- C. The Oracle Database 12c software owner and the Oracle Grid Infrastructure owner must belong to the same Oracle Inventory Group.
- D. The Oracle Database 12c installation must have a separate Oracle inventory directory.
- E. An operating system `OSOPER` group be created for users with the `SYSOPER` system privilege.

Correct Answer: BCE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 165

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You cannot specify how partitioned tables should be handled during an import operation.
- B. Only data can be compressed during an export operation.
- C. Existing dump files can be overwritten during an export operation.
- D. Tables cannot be renamed during an import operation.
- E. Metadata that is exported and imported can be filtered based on objects and object types.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/B28359_01/server.111/b28300/expimp.htm#UPGRD12560

QUESTION 166

Your database instance has the following parameter setting:

```
OS_AUTHENT_PREFIX = OPS$
```

You execute the following command:

```
SQL> CREATE USER ops$guest_user  
      IDENTIFIED EXTERNALLY  
      DEFAULT TABLESPACE users;
```

And then grant OPS\$GUEST_USER the CREATE SESSION privilege.

Which two statements are true? (Choose two.)

- A. GUEST_USER can query the tables created in the USERS tablespace by default.
- B. The authentication details for GUEST_USER are stored in the database password file.
- C. A local GUEST_USER OS account should exist before GUEST_USER can log on to the database.
- D. GUEST_USER can log on to the database without specifying a username and password.
- E. GUEST_USER is forced to change the password at the first login.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 167

You want to upgrade an Oracle Database running Oracle Database 11g to Oracle Database 12c.

Which three tasks should be performed before a manual upgrade? (Choose three.)

- A. running preupgrad.sql in Oracle Database 11g to generate fix-up scripts and a log file
- B. running utlul2ls.sql from the new Oracle home to display information about the required initialization parameters
- C. copying the initialization parameter file to the new Oracle home
- D. copying the password file to the new Oracle home
- E. copying net configuration files to the new Oracle home

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 168

Your database has been running with a peak load for the past hour. You want to preserve the performance statistics collected during this period for comparison when you analyze the performance of the database later.

What must you do to achieve this?

- A. Increase the window size of the moving window baseline so that it equals the Automatic Workload Repository (AWR) snapshot retention period.
- B. Create a baseline on a pair of snapshots that span the peak load period.

- C. Generate Active Session History reports for the peak load period.
- D. Set the snapshot retention period in AWR to 60 to avoid automatic purging of snapshots for the past hour.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 169

Which four operations performed after the Oracle Restart installation are automatically added to the Oracle Restart configuration? (Choose four.)

- A. listener configured by using NETCA
- B. database service created by using SRVCTL
- C. database created by using a SQL statement
- D. database created by using DBCA
- E. ASM instance created by using ASMCA
- F. database service created by using `DBMS_SERVICE.CREATE_SERVICE`
- G. database service created by modifying the `SERVICE_NAMES` initialization parameter

Correct Answer: BCEF

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/E18283_01/server.112/e17120/restart002.htm#insertedID3

QUESTION 170

Your single-instance Oracle 12c database home currently supports conventional auditing and uses Automatic Storage Management (ASM). You want to enable unified auditing by executing the command:

```
$ make -fins_rdbms.mk uniaud_on ioracle ORACLE_HOME=$ORACLE_HOME
```

Which two steps should you perform before executing this command? (Choose two.)

- A. Ensure that the initialization parameter `AUDIT_TRAIL` is set to DB.
- B. Drop any existing fine-grained audit (FGA) policies.
- C. Stop the listener.
- D. Shut down the database instance.
- E. Disable auditing by setting the initialization parameter `AUDIT_TRAIL` to NONE.

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

References: https://blogs.oracle.com/UPGRADE/entry/unified_auditing_is_it_on

QUESTION 171

You create an Oracle 12c database and then import schemas that are required by an application which has not yet been developed.

You want to get advice on creation of or modifications to indexes, materialized views and partitioning in these

schemas.

What must you run to achieve this?

- A. SQL Access Advisor with a SQL tuning set
- B. Automatic Database Diagnostic Monitor (ADDM) report
- C. SQL Tuning Advisor
- D. SQL Access Advisor with a hypothetical workload
- E. SQL Performance Analyzer

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 172

The HR user updates the salary of one of the employees in the non-partitioned EMPLOYEES table, but does not commit the transaction.

Which two types of lock exist in this situation? (Choose two.)

- A. exclusive lock on the EMPLOYEES table
- B. null lock on the row being updated
- C. null lock on the EMPLOYEES table
- D. row level lock on the row being updated
- E. shared lock on the EMPLOYEES table

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 173

You have a production Oracle 12c database running on a host.

You want to install and create databases across multiple new machines that do not have any Oracle database software installed. You also want the new databases to have the same directory structure and components as your existing 12c database.

The steps in random order:

1. Create directory structures similar to the production database on all new machines.
2. Create a response file for Oracle Universal Installer (OUI) with the same configurations as the production database.
3. Create a database clone template for the database.
4. Run the Database Configuration Assistant (DBCA) to create the database.
5. Run OUI in graphical mode on each machine.
6. Run OUI in silent mode using the OUI response file.

Identify the required steps in the correct sequence to achieve the requirement with minimal human intervention.

- A. 1, 5, and 4
- B. 3, 1, 5, and 6

- C. 2, 3, 6, and 4
- D. 2, 1, 6, and 4
- E. 2, 3, 1, and 6

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 174

The `HR.DEPARTMENTS` table is the parent of the `HR.EMPLOYEES` table. The `EMPLOYEES.DEPARTMENT_ID` column has a foreign key constraint with the `ON DELETE CASCADE` option that refers to the `DEPARTMENTS.DEPARTMENT_ID` column. An index exists on the `DEPARTMENTS.DEPARTMENT_ID` column. A transaction deletes a primary key in the `DEPARTMENTS` table, which has child rows in the `EMPLOYEES` table.

Which statement is true?

- A. The transaction acquires a table lock only on the `DEPARTMENTS` table until the transaction is complete.
- B. The transaction acquires a table lock on the `DEPARTMENTS` table. This lock enables other sessions to query but not update the `DEPARTMENTS` table until the transaction on the `DEPARTMENTS` table is complete.
- C. The transaction acquires a table lock on the `EMPLOYEES` table. This lock enables other sessions to query but not update the `EMPLOYEES` table until the transaction on the `DEPARTMENTS` table is complete.
- D. Only the rows that are deleted in the `DEPARTMENTS` and `EMPLOYEES` tables are locked until the transactions on the `DEPARTMENTS` table is complete.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 175

For which three requirements would you use the Database Resource Manager? (Choose three.)

- A. specifying an idle time limit that applies to sessions that are idle and blocking other sessions
- B. limiting the degree of parallelism of operations performed by user sessions in a consumer group
- C. specifying the maximum number of concurrent sessions allowed for a user
- D. limiting the CPU used per database call
- E. specifying the amount of private space a session can allocate in the shared pool of the SGA.

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

References: http://docs.oracle.com/cd/B19306_01/server.102/b14231/dbrm.htm

QUESTION 176

SMD is a smallfile locally managed tablespace with manual segment space management.

The SH user receives the following error while inserting data into the `sales` table:


```
ERROR at line 1:  
ORA-01653: unable to extend table SH.SALES by 128 in tablespace SMD.
```

Which three actions can be taken to enable the user to insert data? (Choose three.)

- A. altering the data file associated with the SMD tablespace to grow automatically
- B. adding a data file to the SMD tablespace, provided the tablespace has not reached its maximum number of file
- C. changing segment space management for the SMD tablespace to automatic
- D. resizing the data file associated with the SMD tablespace to make it larger, provided all data files have not yet reached their maximum size
- E. increasing the space quota on the SMD tablespace for the SH user, provided the files have not yet reached their maximum size

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 177

In your database instance, the `UNDO_RETENTION` parameter is set to 1000 and undo retention is not guaranteed for the fixed size undo tablespace.

Which statement is true about undo retention?

- A. Undo is retained in the UNDO tablespace for 1000 seconds, and then moved to the SYSTEM tablespace to provide read consistency.
- B. Inactive undo is retained for at least 1000 seconds if free undo space is available.
- C. Inactive undo is retained for 1000 seconds even if new transactions fall due to lack of space in the undo tablespace.
- D. Undo becomes expired obsolete after 1000 seconds.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 178

Which two files must you copy from the Oracle home of the database that is being upgraded to the new Oracle home for Oracle Database 12c? (Choose three.)

- A. the `tnsnames.ora` file
- B. the `sqlnet.ora` file
- C. the initialization parameter file
- D. the password file
- E. the `listener.ora` file

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/E11882_01/server.112/e23633/afterup.htm#UPGRD52747

QUESTION 179

In your Oracle 12c database, you invoke SQL *Loader Express Mode command to load data:

```
$> sqlldr hr/hr table=employees
```

Which two statements are true about this command? (Choose two.)

- A. It succeeds and creates the `EMPLOYEES` table in the `HR` schema if the table does not exist.
- B. It fails because the SQL *Loader control file location is not specified.
- C. It fails because the SQL *Loader data file location is not specified.
- D. It succeeds with default settings if the `EMPLOYEES` table belonging to the `HR` schema is already defined in the database.
- E. It succeeds even if the `HR` user does not have the `CREATE DIRECTORY` privilege.

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 180

Backup requirements for a database:

- * Level 0 backup on Sunday
- * Cumulative incremental level 1 backup on Monday, Wednesday, and Saturday
- * Differential incremental level 1 backup on Tuesday, Thursday, and Friday

Which three statements are true about the strategy? (Choose three.)

- A. Level 0 backup on Sunday contains all the blocks that have been formatted.
- B. Level 0 backup on Sunday contains all the blocks that have been changed since the last level 1 backup.
- C. Level 1 backup on Tuesday, Thursday, and Friday contains all the blocks that have been changed since the last level 1 backup.
- D. Level 1 backup on Monday, Wednesday, and Saturday contains all the blocks that have been changed since the last level 0 backup.
- E. Level 1 backup on Tuesday, Thursday, and Friday contains all the blocks that have been changed since the last level 0 backup.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 181

Which two statements are true about the Database Configuration Assistant (DBCA)? (Choose two.)

- A. It can be used to create a database template from an existing database.
- B. It can be used to add a new tablespace.

- C. It can generate SQL database creation scripts.
- D. It can be used to copy an existing Oracle database to a new host and apply any patches necessary in the new host.
- E. It can configure Automatic Storage Management (ASM) diskgroups.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E17559_01/em.111/e16599/appdx_creating_db_templates.htm#CJACEDCD

QUESTION 182

You are managing an Oracle Database 12c database. The database is open, and you plan to perform Recovery Manager (RMAN) backups.

Which three statements are true about these backups? (Choose three.)

- A. The backups would be consistent.
- B. The backups would be possible only if the database is running in `ARCHIVELOG` mode.
- C. The backups need to be restored and the database has to be recovered in case of a media failure.
- D. The backups would be inconsistent.
- E. The backups by default consist of all the data blocks within the chosen files or the full database.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E18283_01/server.112/e10897/backrest.htm#insertedID4

QUESTION 183

Which three tools or tasks are run by default as part automated maintenance tasks? (Choose three.)

- A. Automatic Database Diagnostic Monitor
- B. optimizer statistics gathering
- C. SQL Access Advisor
- D. Segment Advisor
- E. Automatic SQL Tuning Advisor

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 184

You plan to upgrade your Oracle Database 9i to Oracle Database 12c.

Which two methods can you use? (Choose two.)

- A. Perform a rolling upgrade.
- B. Perform a direct upgrade by running the Database Upgrade Assistant (DBUA).

- C. Perform a direct upgrade by manually running the `catctl.pl` and `catupgrd.sql` scripts before issuing the `STARTUPUPGRADE` command.
- D. Install the Oracle Database 12c software, create a new Oracle 12c database, and then use the Oracle Data Pump to import data from the source Oracle 9i database to the target Oracle 12c database.
- E. Upgrade your current database to Oracle Database release 10.2.0.5, and then upgrade to Oracle Database 12c.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 185

Examine the following command:

```
SQL> DBMS_STATS. SET_TABLE_PREFS ('SH', 'CUSTOMERS', 'PUBLISH', 'false');
```

What is the effect of executing this command?

- A. Existing statistics for the `CUSTOMERS` table become unusable for the query optimizer.
- B. Automatic statistics collection is stopped for the `CUSTOMERS` table.
- C. Statistics for the `CUSTOMERS` table are locked and cannot be overwritten.
- D. Statistics subsequently gathered on the `CUSTOMERS` table are stored as pending statistics.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 186

Which four statements are true about the components of the Oracle Scheduler? (Choose four.)

- A. A schedule can be specified to a single job only.
- B. A scheduler job can point to a chain instead of pointing to a single program object.
- C. A job may get started automatically when a window opens.
- D. A program and job can be specified as part of a schedule definition.
- E. A job is specified as part of a program specification.
- F. A program can be used in the definition of multiple jobs.
- G. A program and schedule can be specified as part of a job definition.

Correct Answer: BCFG

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/B19306_01/server.102/b14231/schedover.htm

QUESTION 187

Which three statements are true about checkpointing? (Choose three.)

- A. It prompts the Checkpoint (CKPT) process to write data to the data files and redo information to the online

redo log files.

- B. It ensures that all dirty buffers are written to data files during consistent shutdown.
- C. It reduces the time required for recovery in case of an instance failure.
- D. Frequent thread checkpoints can degrade database performance.
- E. It prompts the Database Writer (DBWn) process to write checkpoint information into data file headers and the control file.

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 188

Your database instance has Automatic Memory Management enabled and supports shared server connections.

Examine the following:

1. Parallel execution messages and control structures
2. Local variables for a process
3. Security and resource usage information
4. Runtime memory values, such as rows retrieved for a SQL statement using a serial execution plan
5. SQL execution work areas

Which option indicates what is allocated from the large pool in this instance?

- A. only 1
- B. 1, 2, and 5
- C. 1, 2, 3, and 5
- D. 1, 2, and 4

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 189

You install Oracle Grid Infrastructure for a standalone server.

Which two components are automatically included in the Oracle Restart configuration? (Choose two.)

- A. A pre-existing Oracle Net Listener
- B. Oracle Notification services
- C. A pre-existing database
- D. A pre-existing Oracle management agent
- E. Oracle CSSD service

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

References: <https://docs.oracle.com/database/121/LADBI/oraclerestart.htm#LADBI999>

QUESTION 190

The performance of your database degrades between 11:00 AM and 3:00 PM. Automatic Workload Repository (AWR) snapshots are collected on an hourly basis.

What is the most efficient way of diagnosing this problem?

- A. Create a custom ADDM task for the period defined by the snapshots taken between 11:00 AM and 3:00 PM.
- B. Analyze the latest Automatic Database Diagnostic Monitor (ADDM) report.
- C. Analyze the hourly ADDM reports generated between 11:00 AM and 3:00 PM.
- D. Create a SQL Tuning Set (STS) for the currently cached SQL statements in the shared pool and run SQL Performance Analyzer (SPA) to generate recommendations.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 191

In your database, the `STATISTICS_LEVEL` parameter is set to `TYPICAL` and an Automatic Workload Repository (AWR) snapshot is taken every 30 minutes.

Which two statements are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It measures database performance by analyzing the wait time and CPU time of all non-idle user sessions.
- B. It always compares the latest snapshot with the baseline snapshot for analysis.
- C. It runs after each AWR snapshot is created and it requires at least two snapshots for analysis.
- D. It requires at least four AWR snapshots for analysis.
- E. It calls other advisors if required, but does not provide recommendations about the advisors to be used.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 192

Which two statements are true about a server parameter file (SPFILE)? (Choose two.)

- A. An SPFILE can be created from a PFILE or from memory.
- B. A PFILE can be used to start up a database instance even if an SPFILE exists.
- C. An SPFILE must reside in the `ORACLE_HOME/dbs` directory.
- D. An SPFILE can be created only before a database instance is started.
- E. An SPFILE contains only those dynamic parameters that can be changed without having to restart the database instance.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 193

Your database is configured in `ARCHIVELOG` mode, and a daily full database backup is taken by using RMAN. Control file autobackup is configured.

Loss of which three database files can lead to an incomplete recovery? (Choose three.)

- A. inactive online redo log file group
- B. a data file belonging to the default temporary tablespace
- C. a data file belonging to the `SYSAUX` tablespace
- D. server parameter file (SPFILE)
- E. active online redo log file group
- F. all the control files

Correct Answer: AEF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 194

Which two statements are true about resumable space allocation? (Choose two.)

- A. A database-level `LOGON` trigger can be used to automatically configure resumable statement settings for individual sessions.
- B. `SELECT` statements that run out of temporary space for sort areas are candidates for resumable execution.
- C. A resumable statement can be suspended and resumed only once during a session.
- D. Resumable space allocation does not apply when a database instance uses asynchronous commit.
- E. Resumable space allocation does not apply when users exceed their assigned space quota in a tablespace.
- F. Free space in a segment is automatically reclaimed when a resumable statement is suspended because of an out-of-space condition.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 195

Your database supports an online transaction processing (OLTP) workload in which one of the applications creates a temporary table for a session and performs transactions on it. This consumes a lot of undo tablespace and generates lots of redo.

Which two actions would you take to solve this problem? (Choose two.)

- A. Increase the size of the temporary tablespace.
- B. Enable Automatic Memory Management (AMM).
- C. Enable undo retention guarantee.
- D. Enable temporary undo for the database.
- E. Increase the size of the redo log buffer.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 196

You want to create a file watcher and an event-based job for detecting the arrival of files on the local server from various locations. To achieve this, you enable the raising of file arrival events from remote systems.

Which two conditions must be satisfied to receive file arrival events from a remote system? (Choose two.)

- A. The remote system must have a running Oracle Database instance and a scheduler agent installed.
- B. The initialization parameter `REMOTE_OS_AUTHENT` must be set to `TRUE` on your database.
- C. The local database must be set up to run remote external jobs.
- D. The remote system's scheduler agent must be registered with your database.
- E. Database links to remote databases must be created.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

References: https://docs.oracle.com/cd/E18283_01/server.112/e17120/scheduse005.htm

QUESTION 197

Unified auditing is enabled in your database. The `HR_ADMIN` and `OE_ADMIN` roles exist and are granted system privileges.

You execute the command:

```
SQL>CREATE AUDIT POLICY table_aud PRIVILEGES CREATE ANY TABLE, DROP ANY TABLE  
ROLES  
hr_admin, oe_admin;
```

Which statement is true?

- A. It succeeds and needs to be enabled to capture all SQL statements that require either the specified privileges or any privilege granted to the `HR_ADMIN` and `OE_ADMIN` role.
- B. It fails because system privileges cannot be granted with roles in the same audit policy.
- C. It succeeds and starts capturing only successful SQL statements for all users who have either the specified privileges or roles granted to them.
- D. It fails because the command does not specify when the unified audit policy should be enforced.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 198

You determine that database performance is sub-optimal due to hard parsing statements. Automatic Shared Memory Management (ASMM) is disabled for your database instance.

Which tool would you use to get advice on how to improve performance?

- A. Memory Advisor for the PGA

- B. SQL Access Advisor
- C. Memory Advisor for the shared pool
- D. SQL Tuning Advisor

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

References: http://docs.oracle.com/cd/E25178_01/server.1111/e10897/montune.htm#CHDGFCFJ

QUESTION 199

Identify three uses of the `CROSSCHECK` command (Choose three.)

- A. to validate the database backup
- B. to synchronize logical backup records with physical files in backup storage
- C. to check the obsolete backups that can be deleted from the file system
- D. to update information about backups that are deleted, corrupted, or inaccessible in a recovery catalog or control file
- E. to update the recovery catalog or control file if archived log files are deleted with operating system commands

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 200

Which statement is true about the Oracle central inventory directory (`oraInventory`)?

- A. `oraInventory` must not be shared by all Oracle software installations on a single system.
- B. If `ORACLE_BASE` is set to `/u01/app/oracle` for the oracle user during an installation, OUI creates the Oracle Inventory directory in the `/u01/app/oracle/ oraInventory` path.
- C. If an OFA-compliant path is not created and the `ORACLE_BASE` environment variable is not set during an Oracle Database installation, the Oracle Inventory directory is placed in the home directory of the user that is performing the installation.
- D. Oracle software owners must be members of the same central `oraInventory` group, but they need not have this group as their primary group.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

References: <https://docs.oracle.com/database/121/CWLIN/usrgtps.htm#CWLIN483>

QUESTION 201

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. An AWR snapshot shows the SQL statements that are producing the highest load on the system, based on criteria such as elapsed time and CPU time.
- B. AWR data is stored in memory and in a database.
- C. All AWR tables belong to the `SYSTEM` schema.

- D. The manageability monitor (MMON) process gathers statistics and creates an AWR snapshot that is used by the self-tuning components in a database.
- E. An AWR snapshot contains system-wide tracing and logging information.

Correct Answer: ABD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 202

You want to import the schema objects of the HR user from the development database DEVDB to the production database PRODDB by using Oracle Data Pump. A database link devdb.us.oracle.com is created between PRODDB and DEVDB.

You execute the following command on the PRODDB database server:

```
$ impdp system/manager directory = DB_DATA
  dumpfile = schemas.dat
  schemas = hr
  flashback_time = "TO_TIMESTAMP ('05-01-2012 14:35:00', 'DD-MM-
YYYY HH24:MI:SS') "
```

The command fails, displaying the following error:

```
ORA-39001: invalid argument value
ORA-39000: bad dump file specification
ORA-31640: unable to open dump file "/home/oracle/schema/schemas.
dat" for read
ORA-27037: unable to obtain file status
```

What should you do to resolve the error?

- A. Add network_link = devdb.us.oracle.com.
- B. Add the SYSTEM user to the schemas option.
- C. Change the dumpfile option value to schema.dat@devdb.us.oracle.com.
- D. Replace the schemas option with network_link = devdb.us.oracle.com.
- E. Replace the dumpfile option with network_link = devdb.us.oracle.com.

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 203

Which three statements are true about server-generated alerts? (Choose three.)

- A. Server-generated alerts notify administrators of problems that cannot be resolved automatically.
- B. Alerts are not issued for locally managed read-only tablespaces.

- C. Response actions cannot be specified for server-generated alerts.
- D. Stateful alerts can be queried only from the `DBA_ALERT_HISTORY` view.
- E. When an alert is cleared, it is moved to the `DBA_ALERT_HISTORY` view.

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

References https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema001.htm#ADMIN10120

QUESTION 204

Which two statements are true about Automatic Storage Management (ASM)? (Choose two.)

- A. It mounts databases and diskgroups to make ASM files available to database instances.
- B. It spreads files proportionally across all disks in a diskgroup, aiming to ensure that all the disks in a diskgroup have the same I/O load.
- C. It automatically places each disk from an external redundancy diskgroup in its own failure group.
- D. It divides files into extents and allows an extent to span disks.
- E. It mirrors data at the allocation unit (AU) level across failure groups within a normal or high redundancy diskgroup.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 205

You want to create a test database as a replica of your production database with minimum intervention from a DBA.

Which method would you use?

- A. Use DBCA to create a template from the existing database to contain the database structure and then manually copy the data by using Oracle Data Pump.
- B. Use Database Configuration Assistant (DBCA) to create a template from the existing database to contain the database structure.
- C. Create the database by using the `CREATE DATABASE` . . . command and manually import data by using Data Pump.
- D. Use DBCA to create a template from the existing database to contain the database structure with data files and then use the same template to create the database in the new location.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 206

Which three file types are stored in the Fast Recovery Area by default in a traditional nonOMF file system? (Choose three.)

- A. online redo log files

- B. parameter file
- C. multiplexed copies of the current control file
- D. archived log files
- E. Flashback Data Archive files
- F. Flashback logs

Correct Answer: ADF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 207

You install Oracle Grid Infrastructure standalone server and issue the following command:

```
crsctl start has
```

Which two existing components get automatically added to the Oracle Restart configuration? (Choose two.)

- A. Oracle CSSD services
- B. the database whose instance is running
- C. Oracle Notification services
- D. Oracle Healthcheck services
- E. Oracle Net Listener

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference: